

Test Report

No. CANEC2122486531

Date: 10 Dec 2021

Page 1 of 6

3F ELECTRONICS INDUSTRY CORP.,LTD

NO.5, ZHENXING ROAD, LIYUHE INDUSTRY PARK, LOUCUN VILLAGE, GONGMING STREET,
GUANGMING NEW DISTRICT, SHENZHEN, GUANGDONG, CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as : Teflon wire and cable

SGS Job No. : CP21-063527 - SZ
Model No. : UL1332 22AWG black, UL1332 20AWG white, UL1887 20AWG red
Client Ref. Info. : PLEASE SEE REMARK
Date of Sample Received : 30 Nov 2021
Testing Period : 30 Nov 2021 - 08 Dec 2021
Test Requested : Selected test(s) as requested by client.
Test Method : Please refer to next page(s).
Test Results : Please refer to next page(s).

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Coral Qiu

Coral Qiu
Approved Signatory

scan to see the report



9F915836



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kazhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663

中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com

t (86-20) 82155555 sgs.china@sgs.com

Test Results :

Test Part Description :

Specimen No.	SGS Sample ID	Description
SN1	CAN21-224865.014	Black plastic jacket 14A+White plastic jacket 14B+Red plastic jacket 14C

Remarks :

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

AfPS GS 2019:01 PAK - Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method : With reference to AfPS GS 2019:01 PAK, analysis was performed by GC-MS.

Test Item(s)	CAS NO.	Unit	MDL	014
Naphthalene(NAP)	91-20-3	mg/kg	0.1	ND
Phenanthrene(PHE)	85-01-8	mg/kg	0.1	ND
Anthracene(ANT)	120-12-7	mg/kg	0.1	ND
Fluoranthene(FLT)	206-44-0	mg/kg	0.1	ND
Pyrene(PYR)	129-00-0	mg/kg	0.1	ND
Benzo(a)anthracene(BaA)	56-55-3	mg/kg	0.1	ND
Chrysene(CHR)	218-01-9	mg/kg	0.1	ND
Benzo(b)fluoranthene(BbF)	205-99-2	mg/kg	0.1	ND
Benzo(j)fluoranthene(BjF)	205-82-3	mg/kg	0.1	ND
Benzo(k)fluoranthene(BkF)	207-08-9	mg/kg	0.1	ND
Benzo(a)pyrene(BaP)	50-32-8	mg/kg	0.1	ND
Benzo(e)pyrene(BeP)	192-97-2	mg/kg	0.1	ND
Indeno(1,2,3-c,d)pyrene(IPY)	193-39-5	mg/kg	0.1	ND
Dibenzo(a,h)anthracene(DBA)	53-70-3	mg/kg	0.1	ND
Benzo(g,h,i)perylene(BPE)	191-24-2	mg/kg	0.1	ND
Sum of 4 PAHs (Phenanthrene, Pyrene, Anthracene, Fluoranthene)	-	mg/kg	-	ND
Sum of 15 PAHs	-	mg/kg	-	ND



AfPS (German commission for Product Safety) : PAHs requirements

Parameter (mg/kg)	Category 1	Category 2		Category 3	
	Materials intended to be placed in the mouth, or materials coming into long-term contact with skin (more than 30s) during the intended use -in toys according to Directive 2009/48/EC or -for the use by children ^{a,b} up to 3 years of age.	Materials not covered by category 1, coming into long-term contact (more than 30s) or short-term repetitive contact ^c with skin during the intended or foreseeable use ^d .		Materials covered neither by category 1 nor by category 2, coming into short-term contact (up to 30s) with skin during the intended or foreseeable use.	
		a. use by children	b. other consumer products	a. use by children	b. other consumer products
Benzo(a)pyrene (BaP)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(e)pyrene (BeP)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(a)anthracene (BaA)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(b)fluoranthene (BbF)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(j)fluoranthene (BjF)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(k)fluoranthene (BkF)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene (CHR)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo(a,h)anthracene (DBA)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(g,h,i)perylene (BPE)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno(1,2,3-cd)pyrene (IPY)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Phenanthrene (PHE), pyrene (PYR), anthracene (ANT), fluoranthene (FLT)	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Naphthalene (NAP)	< 1	< 2		< 10	
Sum of 15 PAHs	<1	< 5	< 10	< 20	< 50

Note:

^a A "Child" is legally defined as a person before reaching the age of 14 years.

^b Use by children includes both active and passive contact by children.

^c Definition "short-term repetitive contact" taken from REACH Annex XVII entry 50 amendment (Regulation (EC) No. 1272/2013)

^d According to the definition of the German Product Safety Act (ProdSG) (chapter 1 Article 2 No. 28) "foreseeable use" shall mean the use of a product in a manner that the person placing it on the market, has not intended, but which could be reasonably foreseeable.

Remark: The German committee on Product Safety (AfPS) published a new PAHs document (AfPS GS 2019:01 PAK) on April 10, 2020, which will be binding for the issue of GS mark certificate from July 1, 2020.

Remark: The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing. The above result(s) was/were only given as the informality value and only for reference.



REMARK:

UL1108, 1419, 1458, 1524, 1559, 1091, 1588, 10156, 10142, 10396, 10485, 1858, 1675, 1694, 1726, 1727, 10326, 10362, 10371, 1750, 1756, 1707, 1708, 1857, 1859, 1860, 1882, 1929, 1930, 1933, 10011, 10110, 10129, 10486, 1757, 1824, 1835, 1960, 5311, 10034, 10051, 10058, 10287, 1589, 1709, 10304, 10409, 10552, 10554, 1636, 1653, 1655, 1656, 1657, 1659, 1817, 1710, 10101, 1199, 1862, 1863, 1864, 1517, 1586, 1609, 1814, 1513, 1523, 1558, 1610, 1643, 1670, 1671, 1827, 1829, 1867, 1868, 1905, 1988, 1989, 1990, 3482, 10371, 1508, 1658, 1354, 1212, 1213, 1286, 1330, 1331, 1332, 1333, 1538, 1716, 1887, 1901, 1914, 10007, 10072, 10111, 10311, 10491, 1371, 1375, 1609, 1394, 1481, 1512, 1516, 1828, 1637, 1721, 1745, 1832, 1875, 1894, 1589, 10503, 1927, 10020, 10064, 10069, 10086, 10088, 10212, 10102, 10393, 10245, 10248, 10298, 10101, 10109, 10125, 10126, 10447, 10507, 1164, 1180, 1198, 1199, 10212, 10277, 10278, 10279, 10443, 1570, 1577, 1723, 1815, 1659, 1584, 1911, 10132, 10241, 16878/4C, 16878-4E, 16878-6, 16878-5, 16878-11C, 16878-12, 81822/6A, 1859, 1644, 22759/11F, 22759-1, 22759-2, 22759-3, 22759-7, 22759-9, 22759-11, 22759-12, 22759-16, 22759-18, 22759-19, 22759-32, 22759-33, 22759-34, 1815, 1858, 3557 QFR-0815,AF-250, AFP-250, QFR-CFN1, QFR-CFN2, QFR-CFN3, QFR-CKF1, QFR-CKF2, QFR-CKF3, AF-200, QFR-0921, VDE-R EG.NR.8191, VDE-REG.NR.8192, VDE-REG.NR.8193, FLR51Y, FLR5Y, FLR6Y, FLR7Y, QFR-0919, QFR-0921, QFR-EFK1, QFR-EFK2, QFR-EFK3, QFR-EFN1, QFR-EFN2, QFR-EFN3, QFR-10364, QFR-11092, QFR-FK1, QFR-FK2, QFR-FK3, QFR-FN1, QFR-FN2, QFR-FN3, QFR-TFN6, QFR-TFNK, QFR-CFK1, QFR-CFK2, QFR-CFK3, QFR-EFK1, QFR-EFK2, QFR-EFK3, QFR-FK1, QFR-FK2, QFR-FK3, QFR-1018, QFR-11092, VDE-R EG.NR.8194, VDE-REG.NR.8195, VDE-REG.NR.8196, VDE FLUORPLASTIC WIRES, N6YAF, QB-F, E-200/TX/FEP 150V,300V,600V, E-200/TN/PFA 150V,300V,600V, E-250/TN/PTFE 150V,300V,600V,CQC FLUOROPLASTIC WIRE AND FLUORPLASTIC TUBE




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

ATTACHMENTS

PAHs Testing Flow Chart



Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

