



Ballast compatible Series T5 HE 15W DIR

For models: L46T5HE-XXX-15P-P6-EB

Where xxx means 830-850 which indicates CRI and color temperature



Electronic Ballast Compatibility

Series	Model	Lamp Qty.	Voltage	Compatibility
PHILIPS	ICN-2S28-N	1Lamp	120	OK
		1Lamp	277	OK
		2Lamp	120	OK
		2Lamp	277	OK
ROBERTSON	PSA228T5MV	1Lamp	120	OK
		1Lamp	277	OK
		2Lamp	120	OK
		2Lamp	277	OK
PHILIPS	IOP-2S28-115-SC-SD	2Lamp	120	-
		2Lamp	277	-
PHILIPS	ICN-2S28-T	1Lamp	120	OK
		1Lamp	277	OK
		2Lamp	120	OK
		2Lamp	277	OK
PHILIPS	IOP-2S28-95-SC-SD	2Lamp	120	-
		2Lamp	277	-
ROBERTSON	REU128T5120	1Lamp	120	OK
AMERICA ELEX	HD128-120AL	1Lamp	120	OK
GE	GE228MVP SH-A	2Lamp	120	OK
		2Lamp	277	OK
SOLA	E-725-U-228-R1-S	1Lamp	120	OK
		1Lamp	277	OK
		2Lamp	120	OK
		2Lamp	277	OK
OSRAM	QTP 2X28T5/UNV PSN	1Lamp	120	OK
		1Lamp	277	OK
		2Lamp	120	OK
		2Lamp	277	OK
OSRAM	QHE 2X28UNV PSN-SC	1Lamp	120	OK
		1Lamp	277	OK
		2Lamp	120	OK
		2Lamp	277	OK
GE	GE228MVPS-MC	2Lamp	120	OK
		2Lamp	277	OK
PREMIUM	BB-T5/UVH-1/2X14-28	1Lamp	120	OK
		1Lamp	277	OK
		2Lamp	120	OK
		2Lamp	277	OK
KEYSTON	KTEB-221PS-1-TP	2Lamp	120	OK
FULHAM	WHAM120-135-L	1Lamp	120	OK

*TOPSTAR has provided this ballast compatibility chart for guidance when selecting a ballast and lamp combination. Lamps were tested for compatibility with the above listed Instant Start (IS), Programmed Start (PS) and Rapid Start (RS) ballasts. Ballasts that do not appear on the chart might still be compatible but have not been tested. All testing has been performed with a stable main supply. The quality of the local main, existing installation and wiring, as well as different manufacturer versions of the above ballasts may affect lamp performance. Since no assurance can be provided regarding these factors, it is a general recommendation to perform a test on-site prior to installing the LED lamps.