



恆達樹脂
HENG DA



統聯樹脂
TONG LAN



強力接著劑

中國恆達樹脂責任有限公司
CHINA HENGDA RESIN CO., LTD

越南統聯樹脂科技有限公司
TONGLAN RESINS TECHNOLOGY (VIETNAM) CO., LTD

印尼統聯樹脂科技有限公司
PT. TONGLAN RESINS TECHNOLOGY INDONESIA



恆達樹脂
HENG DA



統聯樹脂
TONG LAN



恒达集团 HENGDA GROUP

公司简介 Company Profile

恒达树脂（中国）有限公司（总部）

DONGGUAN HENGDA RESINS (CHINA) CO.,LTD

地址：中国广东省东莞市凤岗镇雁田村凤岗天安数码城S3号楼2201单元
ADDRESS: B01 22/F, Tower S3, Tian'an Digital City, Dongshen 2nd Road, Yantian Village, Fenggang Town, Dongguan City, Guangdong Province, China

统联树脂科技（越南）有限公司

TONGLAN RESINS TECHNOLOGY (VIETNAM) CO.,LTD

地址：越南平阳省槟桔市美福3工业区，NA3A，A-1G-CN
ADDRESS: A-1G-CN, NA3A, MY PHUOC 3, BEN CAT, BINH DUONG, VIETNAM

统联树脂科技（印尼）有限公司

PT.TONGLAN RESINS TECHNOLOGY INDONESIA

地址：印度尼西亚万丹唐格朗Surya工业区E18
ADDRESS: KOMPLEK PERGUDANGAN SURYA BALARAJA, Jl. RAYA SERANG KM 28, POS SENTUL, BALARAJA BARAT. TANGERANG - BANTEN 15610, INDONESIA

恒达（越南）责任有限公司

HENGDA Vietnam Co., Ltd.

地址：越南平阳省，横桔市，美福坊，美孚2工业區G-1-CN
G-1-CN, Road NA3A, My Phuoc 2 Industrial Park, Ben Cat District, Binh Duong Province





公司簡介

COMPANY PROFILE

恆達樹脂有限公司專業生產和銷售鞋用環保膠黏劑及相關產品，公司成立於2006年，一直致力於為制鞋企業提供高質量的產品和服務。

歷經多年的發展，先後成立了香港恆達樹脂實業有限公司、越南統聯樹脂科技有限公司、印尼統聯樹脂科技有限公司、新加坡恆達樹脂責任有限公司。從公司成立之初起，我們堅持與國際知名品牌合作，堅持高標準、高要求的研發和生產環保鞋材膠黏劑。對原材料採購、生產流程、成品測試等都進行嚴格管控，為中國、越南、印度尼西亞、柬埔寨、土耳其、印度的客戶提供了鞋類所用的膠黏劑、處理劑、清潔劑、硬化劑等產品。隨着業務的發展壯大，2019年在越南現有的廠房基礎上再斥資購置30000平方米的土地擴建廠房，成立越南恆達責任有限公司，預計於2021年12月建成投產。

Hengda Resin Co., Ltd. specializes in the production and sales of environmentally friendly adhesives and related products for shoes. Founded in 2006, Hengda has been committed to providing high quality products and services for shoe manufacturers.

After years of development, Hong Kong Hengda Resin Industrial Co., Ltd., Vietnam Tonglan Resins Technology Co., Ltd.,

<Indonesia Tonglian Resin Technology Co., Ltd., Singapore Hengda Resin Liability Co., Ltd. > had been founded in the following years.

Since the beginning of our business, we adhere to cooperation with the international famous brands, adhere to high standards and high requests for R&D and production of environmentally friendly products. We strictly control raw material purchasing, production process and finished product inspecting. We provide adhesives, primers, detergents, hardeners and other products used in shoe factories to customers in China, Vietnam, Indonesia, Cambodia, Turkey and India. With the development and expansion of the business, we will invest another 30,000 square meters of land on the basis of the existing plant in Vietnam in 2019 to expand the plant and set up Vietnam Hengda Co., Ltd., which is expected to be completed and put into operation in December 2021.





恆達樹脂
HENG DA



統聯樹脂
TONG LAN

核心理念 Core idea

核心價值觀 Core value

信任
Trust

原則
Principle

團結
United

自檢
Introspection

推崇
Respect

服從
Obey

使命與願景 Mission & Vision

成為全球一流的
膠粘劑產品生產商和供應商

To be a word-class adhesive manufacturer and supplier.





恒達樹脂
HENG DA



統聯樹脂
TONG LAN

配合品牌 Cooperative Brands





原材料 Raw Material

- 供应商评估
- 来料品质检验
- 颜色管理/先进先出
- RS 管控
- Supplier evaluation
- Incoming quality check
- Color management/ FIFO
- RS management



生产流程 Production Proce

- 配方检查
- 生产流程检查
- 批次卡追踪
- RS 管控
- Formula inspection
- Production process check
- Batch tracking
- RS inspection



成品 Finied Product

- 实验室检测/测试
- 颜色管理/先进先出
- RS 送测
- Lab analysis/ testing
- Color management/ FIFO
- RS testing





企業文化 Corporate Culture

一個人到了反思自己的時候，他將步入一個偉大的起點！
When a person starts to reflect on himself, he is stepping into a great starting point.

不要問別人為你做了什麼，而要問你為別人做了什麼！
Don't ask what others have done for you, ask what you have done for others.


學習不能決定你的起點，但一定能改變你的終點。
Studying can't determine your starting point, but it can definitely change your destination.





團建活動

Team Building Activities





發展歷程 Company Timeline





恒達樹脂
HENG DA



統聯樹脂
TONG LAN

社會責任

Social Responsibility



慰问江西芳溪村贫困老人
Charity activity in JiangXi visiting needy elderly



越南統聯公司捐建凉亭
Pavilion built with donation from Tonglan company



越南統聯公司捐建凉亭完工
Tonglan GM and welfare house dean celebrate the completion of pavilion



越南金瓯慈善活动
Charity activity in Ca Mau in Southern Vietnam



越南前江政府工作人员向蒲总授予感谢信
Receive letter of thanks from Tien Giang government of Vietnam



蒲总慰问越南平阳省儿童福利院
Tonglan GM visit welfare house in Binh Duong, Vietnam



福利院院长授予感谢信
Receive letter of thanks from dean of the welfare house




2019年6月江西公益活动中村委授锦旗
Receive banner from village committee in JiangXi



公司高管慰问孤儿院
Top management of the company visit orphan asylum in Vietnam



經營理念 Business Operation Philosophy



產品目錄 Product catalog

類別 Species	產品名稱 ITEMNO	說明 DESCRIPTION	外觀 APPEARANCE	粘度 CPS/25°C	用途與特性 APPLICATION & CHARACTERISTICS
無苯接著劑 (Pu系列) TOLUENE-FREE POLYURETHANE ADHESIVES	U-548F	無苯PU接著劑 Toluene-Free PU Adhesive	透明粘稠液 Transparent viscous liquid	1600±200	用於天然皮、PVC、PU、橡膠、EVA，初期性佳，耐黃變特佳 For bonding leather, PVC, PU, rubber, EVA, Good initial bonding strength, excellent yellowing resistance
	HD/TL-87	無苯PU接著劑 Toluene-Free PU Adhesive	白濁粘稠液 Misty viscous liquid	2000±200	用於天然皮、PVC、PU、橡膠、EVA，初期性佳，高固成份，耐黃變特佳 For bonding leather, PVC, PU, rubber, EVA, Good initial bonding strength & tack, excellent yellowing resistance
	HD/TL-88	無苯PU接著劑 Toluene-Free PU Adhesive	透明粘稠液 Transparent viscous liquid	1600±200	用於天然皮、PVC、PU、橡膠、EVA，初期性佳，Tack好，耐黃變特佳 For bonding leather, PVC, PU, rubber, EVA, Good initial bonding strength & tack, excellent yellowing resistance
	HD/TL-88F	無苯PU接著劑 Toluene-Free PU Adhesive	透明粘稠液 Transparent viscous liquid	1800±200	用於天然皮、PVC、PU、橡膠、EVA，初期性佳，Tack好，耐黃變特佳 For bonding leather, PVC, PU, rubber, EVA, Good initial bonding strength & tack, excellent yellowing resistance
	851TFS	無苯PU接著劑 Toluene-Free PU Adhesive	透明粘稠液 Transparent viscous liquid	1500±200	用於天然皮、PVC、PU、橡膠、EVA，初期性佳，Tack好，耐黃變特佳 For bonding leather, PVC, PU, rubber, EVA, Good initial bonding strength & tack, excellent yellowing resistance
	HD/TL-89	高固無苯PU接著劑 Toluene-Free PU Adhesive	透明粘稠液 Transparent viscous liquid	1600±200	用於天然皮、PVC、PU、橡膠、EVA，初期性佳，Tack好，耐黃變特佳 For bonding leather, PVC, PU, rubber, EVA, Good initial bonding strength & tack, excellent yellowing resistance
	HD/TL-388SK	無苯PU接著劑 Toluene-Free PU Adhesive	透明粘稠液 Transparent viscous liquid	1600±200	用於天然皮、PVC、PU、橡膠、EVA，初期性佳，Tack好，耐黃變特佳 For bonding leather, PVC, PU, rubber, EVA, Good initial bonding strength & tack, excellent yellowing resistance
	HD/TL-EE2S	活化膠 Activation Adhesive	乳白色粘稠液 Milk white viscous liquid	500±50	用於天然皮、PVC、PU、橡膠、EVA，初期性佳，Tack好，耐黃變特佳 For bonding leather, PVC, PU, rubber, EVA, Good initial bonding strength & tack, excellent yellowing resistance
	HD/TL-EE8S	活化膠 Activation Adhesive	乳白色粘稠液 Milk white viscous liquid	500±50	用於天然皮、PVC、PU、橡膠、EVA，初期性佳，Tack好，耐黃變特佳 For bonding leather, PVC, PU, rubber, EVA, Good initial bonding strength & tack, excellent yellowing resistance
	冷補膠	無苯PU接著劑 Toluene-Free PU Adhesive	白濁粘稠液 Misty viscous liquid	1500±200	適用於各種材質之接著，耐黃佳，TackT長(冷補膠) For bonding of various material. Non yellowing. Long tack time.
	HD/TL-680	無苯PU接著劑 Toluene-Free PU Adhesive	無色透明液體 Colorless transparent liquid	3000±200	適用於鞋面內裏防水用途，柔軟性佳，高固成份 For inner lining waterproof, High solid content, Good softness.
	HD/TL-681	無苯PU接著劑 Toluene-Free PU Adhesive	白濁粘稠液 Misty viscous liquid	1600±200	適用於成型防水用途，柔軟性佳，高固成份 For moulding waterproof, High solid content, Good softness.
	HD/TL-235	架橋劑、真皮處理劑 Cross-linker/ Genuine leather Primer	無色透明液體 Colorless transparent liquid	1100±200	第一次用膠，滲透性好，耐水解性佳 For first coat, Good wetting and resistance to hydrolysis.
	HD/TL-236	架橋劑、真皮處理劑 Cross-linker/ Genuine leather Primer	微黃色透明液體 light yellow transparent liquid	1100±200	第一次用膠，滲透性好，耐水解性佳 For first coat, Good wetting and resistance to hydrolysis.

類別 Species	產品名稱 ITEMNO	說明 DESCRIPTION	外觀 APPEARANCE	粘度 CPS/25°C	用途與特性 APPLICATION & CHARACTERISTICS
水性膠系列 WATER-BASED CEMENT SYSTEM	HD/TL-W668	水性接著劑 Water-Based Adhesive	白色粘稠液 White viscous liquid	10000±2000	用於EVA、PU、橡膠、天然皮等,環保,耐黃性佳,可使用時間長,初期接著力佳 For bonding EVA,PU,Rubber,natural leather etc. Environmental friendly.Good yellowing resistance. Long pot-life. Good initial bonding strength.
	HD/TL-W888	水性接著劑 Water-Based Adhesive	白色粘稠液 White viscous liquid	10000±2000	用於EVA、PU、橡膠、天然皮等,環保,耐黃性佳,可使用時間長,初期接著力佳 For bonding EVA,PU,Rubber,natural leather etc. Environmental friendly.Good yellowing resistance. Long pot-life. Good initial bonding strength.
	HD/TL-W889	水性接著劑 Water-Based Adhesive	白色粘稠液 White viscous liquid	9000±2000	用於EVA、PU、橡膠、天然皮等,環保,耐黃性佳,可使用時間長,初期接著力佳 For bonding EVA,PU,Rubber,natural leather etc. Environmental friendly.Good yellowing resistance. Long pot-life. Good initial bonding strength.
	HD/TL-W908	水性噴膠 Water-Based Spray Adhesive	乳白色粘稠液 Milk white viscous liquid	2000±200	適用於裏布、泡棉、皮革、木材、紙器、塑膠等接著,操作容易 For bonding of fabric,foam gasket,leather,textile timber,paper works,plastic.easy to use
	HD/TL-W909	水性結邦膠 Water-Based Bond Adhesive	乳白色粘稠液 Milk white viscous liquid	2000±200	適用於裏布、泡棉、皮革、木材、紙器、塑膠等接著,操作容易 For bonding of fabric,foam gasket,leather,textile timber,paper works,plastic.easy to use
	HD/TL-W105	水性清潔劑 Water-Based Cleaner	無色透明液體 Colorless transparent liquid	10以下	鞋面去污效果好,乾燥較慢 For shoe surface cleaning. Long drying time.
	HD/TL-W8250	水性黃膠 Water-based neoprene	乳黃色粘稠液 Misty yellow viscous liquid	5000±1000	適用於針車、結幫、折邊等,環保無公害 For stitching,lasting,edge folding,Environmentally safe.
	HD/TL-W782	水性Molded EVA處理劑 Water-based Molded EVA Primer	白色液體 White liquid	10以下	處理Molded EVA,射出EVA,初期性佳,耐黃變性好,必須經UV照射 Treat Molded EVA, Injection EVA.Good initial strength and yellowing resistance,Must use UV light.
	UV-W66	水性UV處理劑 Water-based UV Primer	白濁粘液 Misty viscous liquid	10以下	對Molded EVA不打粗表面處理,必須經過UV照射,效果佳。 For treating of non-roughed Molded EVA. Need UV lighting process.
	PR-029A	水性橡膠處理劑 Water-based Rubber Primer	無色透明液體 Colorless transparent liquid	10以下	對橡膠,耐黃性佳,須添加B粉1.5-2%使用 For treating of rubber,Good yellowing resistance,Add1.5-2%B powder
	HD/TL-W001A	水性橡膠處理劑 Water-based Rubber Primer	無色透明液體 Colorless transparent liquid	10以下	對橡膠,TPR處理效果佳,耐黃性佳,須添加B粉1.5-2%使用 For treating of rubber,TPR.Good yellowing resistance,Add1.5-2%B powder.
	HD/TL-W110	水性PU、PVC、TPU處理劑 Water-based PU/PVC/TPU Primer	白濁粘液 Misty viscous liquid	10以下	對PU、PVC、TPU處理效果佳,乾燥較慢 Good treatment performance for PU/PVC/TPU.Long drying time.

產品目錄 Product catalog

類別 Species	產品名稱 ITEMNO	說明 DESCRIPTION	外觀 APPEARANCE	粘度 CPS/25°C	用途與特性 APPLICATION & CHARACTERISTICS
無苯處理劑 (Pu系列) TOLUENE-FREE POLYURETHANE PRIMERS	HD/TL-001	橡膠處理劑 Rubber Primer	無色透明液體 Colorless transparent liquid	10以下	對橡膠,TPR處理效果佳,耐黃性佳,須添加B粉1-3%使用 For treating of rubber,TPR,Good yellowing resistance,Add1-3%B powder.
	HD/TL-001A	橡膠處理劑 Rubber Primer	無色透明液體 Colorless transparent liquid	10以下	對橡膠,TPR處理效果佳,耐黃性佳,須添加B粉1-3%使用 For treating of rubber,TPR,Good yellowing resistance,Add1-3%B powder.
	HD/TL-002	橡膠處理劑 Rubber Primer	無色透明液體 Colorless transparent liquid	10以下	對橡膠、TPR處理效果佳,須添加B粉1-3%使用 For treating of rubber,TPR,Add2-3%B powder.
	HD/TL-002A	橡膠處理劑 Rubber Primer	無色透明液體 Colorless transparent liquid	10以下	對橡膠、TPR處理效果佳,須添加B粉1-3%使用 For treating of rubber,TPR,Add2-3%B powder.
	HD/TL-110	PU、PVC、TPU處理劑 PU、PVC Primer	無色透明液體 Colorless transparent liquid	10以下	處理PU、TPU、PVC、合成皮等,效果佳,乾燥快 Treat PU, synthetic leather,Excellent effect,Fast drying.
	HD/TL-111	PU、PVC、TPU處理劑 PU、PVC Primer	無色透明液體 Colorless transparent liquid	10以下	處理PU、TPU合成皮等,效果佳,乾燥快 Treat PU, synthetic leather,Excellent effect,Fast drying.
	HD/TL-112	PU、PVC、TPU處理劑 PU PVC Primer	無色透明液體 Colorless transparent liquid	10以下	處理PVC、PU皮、人造皮,去污力強 Treat PVC leather, artificial leather, Good decontamination.
	HD/TL-168	油皮處理劑 Oil Lether Primer	淡黃色液體 Light yellow liquid	400±7%	油皮打粗後處理,須添加5-8% HD-308使用 For treatuing of oil leather roughing.Add 5-8%HD-308
	HD/TL-118	無苯處理劑 Non-Benzene Color Inhibitor	淡黃色液體 Light yellow liquid	400±7%	油皮打粗後處理,須添加5-8% HD-308使用 For treatuing of oil leather roughing.Add 5-8%HD-308
	HD/TL-135	油皮處理劑 Oil Lether Primer	淡黃色液體 Light yellow liquid	500±7%	油皮打粗後處理,須添加5-8% HD-308使用 For treatuing of oil leather roughing.Add 5-8%HD-308
	HD/TL-330	TPR處理劑 TPR Primer	淡黃色液體 Light yellow liquid	100以下	TPR表面處理 For treating of TPR
	HD/TL-331	TPR處理劑 TPR Primer	淡黃色液體 Light yellow liquid	100以下	處理加硫橡膠、TPR對特殊橡膠有好的接著效果 Treat vulcanized rubber, TPR,Good adhesion for special rubber.
	HD/TL-70	EVA處理劑 EVA Primer	半透明色液狀 Light yellow viscous liquid	20±5	適用於裏布、泡棉、皮革、木材、紙器、塑膠等接著,操作容易,初期性佳 For bonding of fabric,foam gasket,leather,textile timber,paper works,plastic.easy to use,good initial bonding.
	HD/TL-70-1	EVA處理劑 EVA Primer	半透明色液狀 Light yellow viscous liquid	20±5	適用於裏布、泡棉、皮革、木材、紙器、塑膠等接著,操作容易,初期性佳 For bonding of fabric,foam gasket,leather,textile timber,paper works,plastic.easy to use,good initial bonding.
	HD/TL-80	免打粗EV處理劑 Non-buffing EVA Primer	半透明色液狀 Light yellow viscous liquid	20±5	處理不打粗之Molded EVA,初期性佳,必須經UV照射 Treat Molded EVA,Good initial strength,Must use UV light.

類別 Species	產品名稱 ITEMNO	說明 DESCRIPTION	外觀 APPEARANCE	粘度 CPS/25°C	用途與特性 APPLICATION & CHARACTERISTICS
無苯處理劑 (Pu系列) TOLUENE-FREE POLYURETHANE PRIMERS	HD/TL-78N	EVA處理劑 EVA Primer	淡黃色液體 Light yellow liquid	10以下	對EVA打粗後處理效果佳，耐黃變好。 For treating of EVA, Molded EVA after roughing, Good effect & yellowing resistance.
	HD/TL-781	EVA處理劑 EVA Primer	淡黃色液體 Light yellow liquid	10以下	對EVA打粗後處理效果佳，耐黃變好。 For treating of EVA, Molded EVA after roughing, Good effect & yellowing resistance.
	HD/TL-782	EVA處理劑 EVA Primer	淡黃色液體 Light yellow liquid	10以下	對EVA打粗後處理效果佳，耐黃變好。 For treating of EVA, Molded EVA after roughing, Good effect & yellowing resistance.
	HD/TL-780	Molded EVA處理劑 Molded EVA Primer	微濁螢光液體 Light misty fluorescence liquid	100以下	處理不打粗之Molded EVA, 初期性佳，須添加5%硬化劑HD-308 Treat Molded EVA, Good initial strengt 添, Add 5% hardener HD-308
	HD/TL-77F	Molded EVA處理劑 Molded EVA Primer	微濁螢光液體 Light misty fluorescence liquid	100以下	處理不打粗之Molded EVA, 初期性佳，須添加5%硬化劑HD-308 Treat Molded EVA, Good initial strengt 添, Add 5% hardener HD-308
	UV-66	Molded EVA處理劑 Molded EVA Primer	微濁螢光液體 Light misty fluorescence liquid	10以下	處理不打粗之Molded EVA, 初期性佳，必須經UV照射。 Treat Molded EVA, Good initial strength, Must use UV light.
	UV-67	Molded EVA處理劑 Molded EVA Primer	微濁螢光液體 Light misty fluorescence liquid	10以下	處理Molded EVA, 射出EVA, 初期性佳，耐黃變性好，必須經UV照射。 Treat Molded EVA, Injection EVA, Good initial strength and yellowing resistance, Must use UV light.
	UV-68	Molded EVA處理劑 Molded EVA Primer	微濁螢光液體 Light misty fluorescence liquid	10以下	處理尼龍底、超輕量底等特殊材料，效果佳，必須經UV照射。 Treat Nylon soles, Solyte sole etc, Excellent effec, Must use UV light.
	HD/TL-121	尼龍處理劑 Nylon Primer	無色透明液體 Colorless transparent liquid	100以下	處理尼龍底、尼龍布、海翠等，效果佳，添加5%硬化劑 Treat Nylon soles, cloths, HytreI etc . Excellent effect, Add 5 - 8% hardener
	HD/TL-171-2	尼龍處理劑 Nylon Primer	微黃色透明液體 light yellow transparent liquid	100以下	處理尼龍底、尼龍布、海翠等，效果佳，添加5%硬化劑 Treat Nylon soles, cloths, HytreI etc . Excellent effect, Add 5 - 8% hardener
	C-872(HD)	無苯後套處理劑 Toluene-Free Counter Primer	淡黃色粘稠液 Light yellow viscous liquid	50 ± 10	無苯後套浸泡處理用 (CR) For treating of TR or Sylene counter. Non-Toluene.
	C-873(HD)	無苯後套處理劑 Toluene-Free Counter Primer	淡黃色粘稠液 Light yellow viscous liquid	50 ± 10	無苯後套浸泡處理用 (CR) For treating of TR or Sylene counter. Non-Toluene.
	H-2	無苯後套處理劑 Toluene-Free Counter Primer	淡黃色粘稠液 Light yellow viscous liquid	50 ± 10	無苯後套浸泡處理用 (CR) For treating of TR or Sylene counter. Non-Toluene.
	HD/TL-872	無苯後套處理劑 Toluene-Free Counter Primer	淡黃色粘稠液 Light yellow viscous liquid	50 ± 10	無苯後套浸泡處理用 (SBS) For treating of TR or Sylene counter. Non-Toluene.

類別 Species	產品名稱 ITEMNO	說明 DESCRIPTION	外觀 APPEARANCE	粘度 CPS/25°C	用途與特性 APPLICATION & CHARACTERISTICS
接著劑 (CR系列)	HD/TL-820	無苯萬能膠(黃膠) Toluene-Free CR Adhesive	淡黃色粘稠液 Light yellow viscous liquid	2500±200	無苯多功能黃膠，使用方便，粘性維持時間長 For bonding of wrapping sock line etc,Easy to use,Long tack time,Non-Toluene.
	HD/TL-8220	無苯萬能膠(黃膠) Toluene-Free CR Adhesive	淡黃色粘稠液 Light yellow viscous liquid	2500±200	無苯多功能黃膠，使用方便，粘性維持時間長 For bonding of wrapping sock line etc,Easy to use,Long tack time,Non-Toluene.
	HD/TL-8250	無苯萬能膠(黃膠) Toluene-Free CR Adhesive	淡黃色粘稠液 Light yellow viscous liquid	4000±500	無苯多功能黃膠，使用方便，粘性維持時間長， 外觀佳 For bonding of wrapping sock line etc,Easy to use,Long tack time,Light color,Non-Toluene.
	HD/TL-8260	無苯萬能膠(黃膠) Toluene-Free CR Adhesive	淡黃色粘稠液 Light yellow viscous liquid	3000±500	無苯多功能黃膠，使用方便，粘性維持時間長， 外觀佳 For bonding of wrapping sock line etc,Easy to use,Long tack time,Light color,Non-Toluene.
	HD/TL-8262	無苯萬能膠(黃膠) Toluene-Free CR Adhesive	半透明色粘稠液 Light yellow viscous liquid	3000±500	無苯多功能黃膠，使用方便，粘性維持時間長， 外觀佳 For bonding of wrapping sock line etc,Easy to use,Long tack time,Light color,Non-Toluene.
	HD/TL-8262A	無苯萬能膠(黃膠) Toluene-Free CR Adhesive	半透明色粘稠液 Light yellow viscous liquid	3000±500	無苯多功能黃膠，使用方便，粘性維持時間長， 外觀佳 For bonding of wrapping sock line etc,Easy to use,Long tack time,Light color,Non-Toluene.
	HD/TL-8290	無苯萬能膠(黃膠) Toluene-Free CR Adhesive	淡黃色粘稠液 Light yellow viscous liquid	3000±500	無苯多功能黃膠，使用方便，粘性維持時間長， 外觀佳 For bonding of wrapping sock line etc,Easy to use,Long tack time,Light color,Non-Toluene.
硫化鞋用水性 系列 W/B FOR AUTOCLAVE SHOES	HD/TL-L88	硫化鞋用水性膠 W/B adhesive for vulcanized shoes	白色粘稠液 White viscous liquid	1800-3000	適用於天然皮、PU、尼龍布、帆布等，環保無公害 For bonding of leather,PU,Nylon upper,Canvas etc,Environmentally safe.
	HD/TL-L89	硫化鞋用水性膠 W/B adhesive for vulcanized shoes	白色粘稠液 White viscous liquid	1800-3000	適用於天然皮、PU、尼龍布、帆布等，環保無公害 For bonding of leather,PU,Nylon upper,Canvas etc,Environmentally safe.
	HD/TL-L110	硫化鞋用鞋面清潔劑 S/B cleaner for vulcanized shoe uppers	無色透明液體 Colorless transparent liquid	10以下	適用於人造皮等，乾燥後無溶劑味道，無留痕 For treating of synthetic leather etc.Non mark and no solvent smell after drying.
	HD/TL-L001	硫化鞋用橡膠、生 膠處理劑 S/B primer for foxing and rubber	無色透明液體 Colorless transparent liquid	10以下	適用於生膠、橡膠等，乾燥後無溶劑味道，無留痕 For treating of Rubber etc.Non mark and no solvent smell after drying.
	HD/TL-L135	油皮處理劑 Oil Leather Primer	半透明白濁溶液 Semi- transparent misty liquid	400-600	油皮打粗後處理，需加入10-15%HD-L308使用 For treating of oil leather roughing,Add10- 15%HD-L308
	HD/TL-L235	硫化鞋專用橡膠粘劑 Rubber adhesive for vulcanized shoes	淡黃色液體 Light yellow liquid	500-1500	橡膠溶劑膠，乾燥後無溶劑味道也不，白色圍條上不 黃變 Solvent-Based cement for Rubber.No solvent smell and no yellowing on white foxing tape
	HD/TL-L308	硫化鞋處理劑用硬 化劑 Hardener for primer	無色透明液體 Colorless transparent liquid	10以下	適用於水性硫化處理劑，增加處理效果 Use with W/B primer,Enhance bonding effect

產品目錄 Product catalog

類別 Species	產品名稱 ITEMNO	說明 DESCRIPTION	外觀 APPEARANCE	粘度 CPS/25°C	用途與特性 APPLICATION & CHARACTERISTICS
清潔劑系列 CLEANERS	HD/TL-109-2	無甲苯清潔劑 Toluene-free cleaner	無色透明液體 Colorless transparent liquid	10以下	多用途表面清潔劑，去污強，乾燥快 Multi-purposes surface cleaner, Strong cleaning effect, Fast drying.
	P-108(HD)	無甲苯清潔劑 Toluene-free cleaner	無色透明液體 Colorless transparent liquid	10以下	多用途表面清潔劑，去污強，乾燥快 Multi-purposes surface cleaner, Strong cleaning effect, Fast drying.
	HD/TL-223M	無甲苯清潔劑 Toluene-free cleaner	無色透明液體 Colorless transparent liquid	10以下	多用途表面清潔劑，去污強，乾燥快 Multi-purposes surface cleaner, Strong cleaning effect, Fast drying.
	HD/TL-233M	無甲苯清潔劑 Toluene-free cleaner	無色透明液體 Colorless transparent liquid	10以下	多用途表面清潔劑，去污強，乾燥快 Multi-purposes surface cleaner, Strong cleaning effect, Fast drying.
	HD/TL-906P	無甲苯清潔劑 Toluene-free cleaner	無色透明液體 Colorless transparent liquid	10以下	多用途表面清潔劑，去污強，乾燥快 Multi-purposes surface cleaner, Strong cleaning effect, Fast drying.
	HD/TL-207K	無甲苯清潔劑 Toluene-free cleaner	無色透明液體 Colorless transparent liquid	10以下	多用途表面清潔劑，去污強，乾燥快 Multi-purposes surface cleaner, Strong cleaning effect, Fast drying.
	HD/TL-109	無甲苯清潔劑 Toluene-free cleaner	無色透明液體 Colorless transparent liquid	10以下	多用於表面清潔劑，去污強，乾燥快 Multi-purposes surface cleaner, Strong cleaning effect, Fast drying.
	HD/TL-109-1	無甲苯清潔劑 Toluene-free cleaner	無色透明液體 Colorless transparent liquid	10以下	多用途表面清潔劑，可用於稀釋噴膠 Multi-purposes surface cleaner, Thinner of Spray adhesives.
	SY-1086(HD)	水性清潔劑 Water-Based Cleaner	無色透明液體 Colorless transparent liquid	10以下	多用於表面清潔，可用於清潔RB等材質 Multi-purposes surface cleaner for RB materials
	HD/TL-880	水性清潔劑 Water-Based Cleaner	無色透明液體 Colorless transparent liquid	10以下	多用於表面清潔，可用於清潔TPU等材質 Multi-purposes surface cleaner for TPU materials
	HD/TL-550S	酸性水洗劑 Acid degreasing agent	透明液體 Shallow green transparent liquid	10以下	多用途表面清潔劑，去汙強 Multi-purposes surface cleaner, Strong Cleaning effect.
	HD/TL-558S	酸性水洗劑 Acid degreasing agent	透明液體 Shallow green transparent liquid	10以下	多用途表面清潔劑，去汙強 Multi-purposes surface cleaner, Strong Cleaning effect.
	HD/TL-559S	酸性水洗劑 Acid degreasing agent	透明液體 Shallow green transparent liquid	10以下	多用途表面清潔劑，去汙強 Multi-purposes surface cleaner, Strong Cleaning effect.
	HD/TL-505J	鹼性水洗劑 Alkaline degreasing agent	透明液體 Shallow green transparent liquid	10以下	多用途表面清潔劑，去汙強 Multi-purposes surface cleaner, Strong Cleaning effect.
	HD/TL-1020J	鹼性水洗劑 Alkaline degreasing agent	透明液體 Shallow green transparent liquid	10以下	多用途表面清潔劑，去汙強 Multi-purposes surface cleaner, Strong Cleaning effect.

類別 Species	產品名稱 ITEMNO	說明 DESCRIPTION	外觀 APPEARANCE	粘度 CPS/25°C	用途與特性 APPLICATION & CHARACTERISTICS
硬化劑 Hardener	HD/TL-305	RC硬化劑 RC Hardener	透明液體 Transparent liquid	10以下	適用於PU膠，增加效果及初期黏著力 Use with PU adhesives to enhance bonding effect and initial bonding strength.
	HD/TL-306	RN硬化劑 RN Hardener	透明液體 Transparent liquid	10以下	適用於PU膠，耐黃性佳 Use with PU adhesives to enhance bonding effect. Good yellowing resistance.
	HD/TL-307	RN硬化劑 RN Hardener	透明液體 Transparent liquid	10以下	適用於PU膠，耐黃性佳 Use with PU adhesives to enhance bonding effect. Good yellowing resistance.
	RN	RN硬化劑 RN Hardener	透明液體 Transparent liquid	10以下	適用於PU膠，耐黃性佳 Use with PU adhesives to enhance bonding effect. Good yellowing resistance.
	HD/TL-308-1	RFE硬化劑 RFE Hardener	透明液體 Transparent liquid	10以下	適用於處理劑的添加，耐黃效果佳，增加效果及初期黏著力 Use with primer. Good yellowing resistance. Enhance bonding performance and initial bonding strength.
	HD/TL-308	RFE硬化劑 RFE Hardener	淡黃色液體 Light yellow liquid	10以下	適用於CR、處理劑及PU膠，增加效果及初期黏著力 Use with CR, primer, and PU adhesive. Enhance bonding performance and initial bonding strength.
	RFE	RFE硬化劑 RFE Hardener	淡黃色液體 Light yellow liquid	10以下	適用於CR、處理劑及PU膠，增加效果及初期黏著力 Use with CR, primer, and PU adhesive. Enhance bonding performance and initial bonding strength.
	HD/TL-309	硬化劑 Hardener	透明液體 Transparent liquid	10以下	適用於水性PU膠，耐黃性佳 Use with Water-Based PU adhesives to enhance various bonding effect. Good yellowing resistance.

產品目錄 Product catalog

類別 Species	產品名稱 ITEMNO	說明 DESCRIPTION	外觀 APPEARANCE	粘度 CPS/25°C	用途與特性 APPLICATION & CHARACTERISTICS
其他產品 OTHER SPECIAL PRODUCTS	HD/TL-8210	無苯貼合膠 Toluene-free Joint adhesives	透明粘稠液 Transparent viscous liquid	2200±200	適用於布、EVA、橡膠發泡等貼合及熱壓成型，高溫不變色，用於機械塗布，單面上膠 For bonding of Leather,EVA and rubber,For hot press assembling,Non discoloration in high temperature,Suitable for rouer coating.
	C-1000	熱熔膠 Hot melt adhesive	霧色塊狀 Light yellow lump	2000±200	適用於皮料、裏布、泡棉、EVA、PVC，高粘度，TACK長 For bonding of Leather,Fabric,Foam,EVA,PVC,High viscosity,Long tack time.
	C-1400	熱熔膠 Hot melt	黃色顆粒狀 Colorless translucent liquid	3000±200	適用於皮料、裏布、泡棉、EVA、PVC，康特，高粘度，开放时间一般 For bonding of Leather,Fabric,Foam,EVA,PVC,Counter,High viscosity,normal tack time.
	C-1800	熱熔膠 Hot melt	霧色塊狀 Light yellow lump	3000±200	適用於皮料、裏布、泡棉、EVA、PVC，康特，高粘度，开放时间一般 For bonding of Leather,Fabric,Foam,EVA,PVC,Counter,High viscosity,normal tack time.
	CHM-1408(HD)	熱熔膠 Hot melt	霧色塊狀 Light yellow lump	3000±200	適用於皮料、裏布、泡棉、EVA、PVC，康特，高粘度，开放时间一般 For bonding of Leather,Fabric,Foam,EVA,PVC,Counter,High viscosity,normal tack time.
	HMMC-6HD	熱熔膠 Hot melt	線型圈狀 linear roll	3000±200	適用於皮料、裏布、泡棉、EVA、PVC，康特，高粘度，开放时间一般 For bonding of Leather,Fabric,Foam,EVA,PVC,Counter,High viscosity,normal tack time.
	HD/TL-998	熱熔膠 Hot melt adhesive	霧色塊狀 Light yellow lump	2200±200	適用於皮料、裏布、PVC等材質折邊，高粘度 For folding of Leather,Fabric,Foam,PVC,High viscosity
	HD/TL-998-1	熱熔膠 Hot melt adhesive	霧色塊狀 Light yellow lump	2200±200	適用於皮料、裏布、泡棉、EVA、PVC，高粘度，初期性佳，TACK長 For bonding of Leather,Fabric,Foam,EVA,PVC,High viscosity,Good initial bonding strength,Long tack time.
	HD/TL-108	粉膠 Raw adhesive	透明色粘稠液 Light yellow viscous liquid	9000±500	適用於泡棉、布、皮革等材料定位接著，乾燥快，粘性維持時間長 Used for foam, fabric, and leather;Fast drying, long tack time.
	HD/TL-108H	粉膠 Raw adhesive	透明色粘稠液 Light yellow viscous liquid	20000±500	適用於泡棉、布、皮革等材料定位接著，乾燥快，粘性維持時間長 Used for foam, fabric, and leather;Fast drying, long tack time.
	HD/TL-158	PU 防水膠 PU Waterproof glue	半透明粘液 Translucent mucus	1200±1600	適用於成型防水用途，柔軟性佳，高固成份。 Suitable for molding waterproof use, good softness, high solid composition
	HD/TL-159	PU 防水膠 PU Waterproof glue	半透明粘液 Translucent mucus	2800±3500	適用於鞋面內里防水用途，柔軟性佳，高固成份。 Suitable for vamp linings - waterproof, good softness, high solid contents
	HD/TL-W159	水性防水膠 Waterborne Waterproof glue	乳白色粘稠液 Milk white viscous liquid	4000±5000	適用於鞋面內里防水用途，柔軟性佳，高固成份。 Suitable for vamp linings - waterproof, good softness, high solid contents
	HD/TL-101	PU 灌注膠 Adhesive for PU Injection	半透明粘稠液 Light yellow viscous liquid	300-500	對PU注入體表面架橋膠 For PU injection surface cement.
HD/TL-102	TR 灌注膠 Adhesive for TR Injection	淡黃色粘稠液 Light yellow viscous liquid	300-500	對TR注入體表面架橋膠 For TR injection surface cement.	

產品 Producty



機器設備 Machine equipment

- ✔ 操作安全 Safe to Operate
- ✔ 节约成本 Cost Saving
- ✔ 使用簡單 Easy to Use
- ✔ 易於維護保養 Easy to Maintenance



超聲波水洗機
Ultrasonic Washing Machine



氣動自動噴膠機
Air-Powered Automatic Adhesive Sprayer



土耳其
Turkey

中国 China

印度
India

柬埔寨
Cambodia

越南 Vietnam

印尼 Indonesia

三大生产基地 六大产品市场
3 production bases
6 sales markets

◦ 中国工厂 China Factory :
中国市场 China
印度市场 India

◦ 越南工厂 Vietnam Factory
越南市场 Vietnam
柬埔寨市场 Cambodia
土耳其市场 Turkey

◦ 印尼工厂 Indonesia Factory
印尼市场 Indonesia

