

COMPANY PRPFILE



"

"Credibility of quality, innovative service" is the enterprise culture of DHY Garden Tools Co., Ltd., founded in January 1998. We make a solid foundation for the continued development through mulitbrand agent and new products in these ten years. Due to market demand, we moved into gardening tools selling and plastic products producing field in 2000.

We offer OEM services for domestic and foreign customers. We specialized in manufacture of extensive range of plastic hose reel car, spray nozzle fitting and PVC hoses such as braid hose, Air hose, Garden hose etc more than 200 of specifications. specifications.

Our products are widely used in Industrial, Agriculture and foodstuff industry, which is the ideal tool for supplying liquid, powder, gas and grain material. We win the high trust by our own brand "Eagle garden tools" and also get widely recognized and accepted by Europe and America Country who are strict on products quality.



About The Factory









Company's Certificate















GARDEN HOSE

3 LAYERS 1/2" PVC GARDEN HOSE ······	01
4 LAYERS 1/2" PVC GARDEN HOSE ······	02
3 LAYERS 1/2" PVC ECONOMIC GARDEN HOSE	03
3 LAYERS 1/2" PVC VERTICAL GRAIN GARDEN HOSE ······	04
3 LAYERS 1/2" DURABLR REINFORCED HOSE FOR SCREW STRIATION	05
3 LAYERS 1/2" PVC DOUBLE CROCHETED TWIST-FREE GARDEN HOSE	06
3 LAYERS PVC TWIST-FREE GARDEN HOSE	07
3 LAYERS PVC COLD RESISTANT GARDEN HOSE	08
3 LAYERS 5/8" PVC GARDEN HOSE ······	09
3 LAYERS 3/4" PVC GARDEN HOSE ······	10
3 LAYERS 1" PVC GARDEN HOSE ······	11
4 LAYERS DURABLE REINFORCED HOSE	12
Watering Hose Set ······	13





PVC GENERAL PIPE SERIES

PVC HIGH PRESSURE SPRAY HOSE (5 LAYERS) ····	15
PVC HIGH PRESSURE KNIT SPRAY HOSE	16~19
HIGH QUALITY PVC AIR HOSE	20
PVC YELLOW AIR HOSE ·····	21
HIGH QUALITY PVC CLEAR HOSE ·····	22
PVC BRAID REINFORCED HOSE	23
HIGH QUALITY BRAIDED HOSE	24
GARDEN GENERAL PURPOSE PR	ODUCTS
HOSE REEL SET	25~52
HOSE REEL SET	
	53~58
HOSE REEL CART ······	······· 53~58 ······ 59~68



3 LAYERS 1/2" PVC GARDEN HOSE











EG-4000Y



EG-4000BL



EG-4000GN



EG-4000BN



EG-4000SSH



EG-4000SSL

- 1 Three-layer hose.
- Irrigation flower garden and trees.
- Used for washing car.
- A Passed the ROHS test.
- UV resistant,internal parts are resistant to algae flexible.
- O Polyester cross reinforcement.
- Temperature range -5℃ To +65℃.


















Specification inch	I.D×O.D		Length Meters	W.P Bar	B.P Bar	Weight kg/Roll	Measure mm
1/2"	12.5	17	100	10	30	13.5	540×150



4 LAYERS 1/2" PVC GARDEN HOSE



Details:

- Adopt the advance new technology, made of the eco-friendly material and high tensity of polyester yarn.
- 1 Irrigation flower garden and trees.
- Used for washing car.
- Passed the ROHS test.
- 6 UV resistant, internal parts are resistant to algae flexible.
- A Polyester cross reinforcement.
- Temperature range -5℃ To +65℃.



Matte Grey



Matte Black





Exoticism
















Watermelon Latte









Specification inch	I.D×0.D		Length Meters	W.P Bar	B.P Bar	Weight kg/Roll	Measure mm
1/2"	12.5	17	100	10	30	14	450×200



3 LAYERS 1/2" PVC Economic GARDEN HOSE



- 1 Three-layer hose.
- Irrigation flower garden and trees.
- O Used for washing car.
- A Passed the ROHS test.
- UV resistant,internal parts are resistant to algae flexible.
- O Polyester cross reinforcement.
- ↑ Temperature range -5°C To +65°C.


















Specification inch	I.D×O.D		Length Meters	W.P Bar	B.P Bar	Weight kg/Roll	Measure mm
1/2"	12	16	100	8	24	11	520×160



3 LAYERS 1/2" PVC Vertical Grain GARDEN HOSE









- Three-layer hose.
- Irrigation flower garden and trees.
- O Used for washing car.
- Passed the ROHS test.
- UV resistant, internal parts are resistant to algae flexible.
- Polyester cross reinforcement.
- ↑ Temperature range -5°C To +65°C.














Specification inch	I.D×O.D		Length Meters	W.P Bar	B.P Bar	Weight kg/Roll	Measure mm
1/2"	12.5	17	100	10	30	13.5	540×150



3 LAYERS 1/2" Reinforced Hose For Screw Striation



- Ourable reinforced hose for screw striation.
- () Irrigation flower garden and trees.
- A Passed the ROHS test.
- △ UV resistant,internal parts are resistant to algae flexible.
- O Polyester cross reinforcement.
- ↑ Temperature range -5°C To +65°C.
























Specification inch	I.D×O.D		Length Meters	W.P Bar	B.P Bar	Weight kg/Roll	Measure mm
1/2″	13	18	100	4	25	15	540×170



3 LAYERS 1/2" PVC Double Crocheted Twist-Free GARDEN HOSE







- The unique double crochet process is adopted to prevent hose torsion or kinks.
- Irrigation flower garden and trees.
- Used for washing car.
- Passed the ROHS test.
- UV resistant, internal parts are resistant to algae flexible.
- Polyester cross reinforcement.
- Temperature range -5℃ To +65℃.
















Specification inch	I.D×O.D		Length Meters	W.P Bar	B.P Bar	Weight kg/Roll	Measure mm
1/2″	12.5	17	100	7	21	14	550×150



3 LAYERS PVC Twist-Free GARDEN HOSE



Details:

- Special 45 degree knitting to prevent hose torsion or kinks.
- () Irrigation flower garden and trees.
- A Used for washing car.
- Desired the ROHS test.
- UV resistant,internal parts are resistant to algae flexible.
- Delyester cross reinforcement.
- ↑ Temperature range -5°C To +65°C.





















PVC Outer Layer

Polyester Reinforcement

PVC Inner Layer

Specification inch	I.D×O.D		Length Meters	W.P Bar	B.P Bar	Weight kg/Roll	Measure mm
1/2″	12.5	17	100	7	21	14	480×200
5/8"	15	19.5	100	7	21	15.5	550×200
3/4"	19	25	50	6	18	14.5	530×180



3 LAYERS PVC Cold Resistant GARDEN HOSE





EG-4008 1/2" Yellow



EG-4009 1/2" Blue



EG-4011 1/2" Red



EG-6000 3/4" Blue

- Applying cold resistant material, which keep the hose still good performance when cold weather.
- Irrigation flower garden and trees.
- Used for washing car.
- Passed the ROHS test.
- UV resistant, internal parts are resistant to algae flexible.
- Delyester cross reinforcement.
- Temperature range -20℃ To +40℃.


















Specification inch	I.D×O.D		Length Meters	W.P Bar	B.P Bar	Weight kg/Roll	Measure mm
1/2″	12.5	17	100	7	21	14	480×200
3/4"	19	25	50	7	21	14	530×180



3 LAYERS 5/8" PVC GARDEN HOSE





- ↑ Three-layer hose.
- Irrigation flower garden and trees.
- Used for washing car.
- O Passed the ROHS test.
- b UV resistant, internal parts are resistant to algae flexible.
- O Polyester cross reinforcement.
- ↑ Temperature range -5°C To +65°C.


















Specification inch	I.D>	<0.D	Length Meters	W.P Bar	B.P Bar	Weight kg/Roll	Measure mm
5/8"	15	19.5	100	10	30	15	490×200



3 LAYERS 3/4" PVC GARDEN HOSE





EG-6000G



EG-6000Y



EG-6000BL



EG-6000GN



- Three-layer hose.
- Irrigation flower garden and trees.
- Used for washing car.
- A Passed the ROHS test.
- 6 UV resistant, internal parts are resistant to algae flexible.
- O Polyester cross reinforcement.
- ↑ Temperature range -5°C To +65°C.
















Specification inch	I.D>	<0.D	Length Meters	W.P Bar	B.P Bar	Weight kg/Roll	Measure mm
3/4"	19	25	50	10	30	13	470×180



3 LAYERS 1" PVC GARDEN HOSE





EG-2500B



EG-2500G



EG-2500BL



- Three-layer hose.
- Irrigation flower garden and trees.
- Used for washing car.
- A Passed the ROHS test.
- UV resistant, internal parts are resistant to algae flexible.
- O Polyester cross reinforcement.
- ↑ Temperature range -5°C To +65°C.














Specification inch	I.D>	<0.D	Length Meters	W.P Bar	B.P Bar	Weight kg/Roll	Measure mm
1"	25	31	50	4	23	15	700×180



4 LAYERS Durable Reinforced HOSE



Details:



- Adopt the advance new technology, made of the eco-friendly material and high tensity of polyester yarn.
- firrigation flower garden and trees.
- Used for washing car.
- Passed the ROHS test.
- UV resistant,internal parts are resistant to algae flexible.
- Delyester cross reinforcement.
- Temperature range -5℃ To +65℃.















or algae

water layer-to prevent fraying of hose
explosion-proof layer
reinforced layer enhance the strength of hose
germproof layer-to prevent corrosion by fungi

Specification inch	I.D×	(O.D	Length Meters	W.P Bar	B.P Bar	Weight kg/Roll	Measure mm
1/2″	12.5	17	100	10	30	14	450×200
3/4"	19	26	50	10	30	14	510×230
1"	25	32	50	4	23	16.8	640×230



EG-S4001 Watering Hose Set



- Come with EG-801 or EG-802 Adjusttable Spray Gun.
- Fittings for completing available, convenient and easy.
- 3-layer PVC Eagle Garden Hose ,8 colors available.
- Different Length of hose available: 10M/15M/20M/30M/50M

















EG-S4000 Watering Hose Set



- Ocome with EG-701 Adjusttable Spray Gun.
- Fittings for completing available, convenient and easy.
 - 3-layer PVC economic Eagle Garden Hose.
 - Different Length of hose available: 10M/15M/20M/30M/50M











GENERAL PVC HOSE



PVC HIGH PRESSURE SPRAY HOSE (5 LAYERS)







- High pressure industrial applications.
- Good fexible and durability against climate, abrasion, Chemical agent.
- Meets the international standard coupling according To the order.
- ↑ Temperatures: -5°C To 65°C.





Specification inch	I.D>	<0.D	Length Meters	W.P Bar	B.P Bar	Bend Radius	Measure mm
1/4	6.5	13	100	50	200	33	380×190
9/32	7.5	13	100	50	200	35	390×190
5/16	8.5	14	100	50	200	36	430×160
3/8	10	16.5	100	40	180	43	450×200
1/2	12.5	20	100	40	150	53	560×190
3/4	19	28.5	60	40	150	60	650×230













- High pressure industrial applications.
- Good fexible and durability against climate, abrasion, Chemical agent.
- Meets the international standard coupling according To the order.
- ↑ Temperatures: -5°C To 65°C.




Specification inch	I.D×	(O.D	Length Meters	W.P Bar	B.P Bar	Bend Radius	Measure mm
1/4	6.5	13	100	60	220	33	380×190
9/32	7.5	13	100	60	220	35	390×190
5/16	8.5	14	100	60	220	36	400×200
3/8	10	16.5	100	60	200	43	450×200
1/2	12.5	20	100	60	180	53	560×190
3/4	19	28.5	60	50	180	60	650×230















- High pressure industrial applications.
- Good fexible and durability against climate, abrasion, Chemical agent.
- Meets the international standard coupling according To the order.
- ↑ Temperatures: -5°C To 65°C.



Specification inch	I.D×	(O.D	Length Meters	W.P Bar	B.P Bar	Bend Radius	Measure mm
1/4	6.5	13	100	60	220	33	380×190
9/32	7.5	13	100	60	220	35	390×190
5/16	8.5	14	100	60	220	36	400×200
3/8	10	16.5	100	60	200	43	450×200
1/2	12.5	20	100	60	180	53	560×190
3/4	19	28.5	60	50	180	60	650×230













- High pressure industrial applications.
- Good fexible and durability against climate, abrasion, Chemical agent.
- Meets the international standard coupling according To the order.
- ↑ Temperatures: -5°C To 65°C.




Specification inch	I.D×	<0.D	Length Meters	W.P Bar	B.P Bar	Bend Radius	Measure mm
1/4	6.5	13	100	60	220	33	380×190
9/32	7.5	13	100	60	220	35	390×190
5/16	8.5	14	100	60	220	36	400×200
3/8	10	16.5	100	60	200	43	450×200
1/2	12.5	20	100	60	180	53	560×190
3/4	19	28.5	60	50	180	60	650×230











KNIT



- High pressure industrial applications.
- Good fexible and durability against climate, abrasion, Chemical agent.
- Meets the international standard coupling according To the order.
- ↑ Temperatures: -5°C To 65°C.



Specification inch	I.D>	O.D	Length Meters	W.P Bar	B.P Bar	Bend Radius	Measure mm
1/4	6.5	13	100	60	220	33	380×190
9/32	7.5	13	100	60	220	35	390×190
5/16	8.5	14	100	60	220	36	400×200
3/8	10	16.5	100	60	200	43	450×200
1/2	12.5	20	100	60	180	53	560×190
3/4	19	28.5	60	50	180	60	650×230



HIGH QUALITY PVC AIR HOSE





- High pressure industrial applications.
- Generally used for air production equipment.
 Transfer compressed gas in garages and service stations.
- UV resistant, internal parts are resistant to algae flexible.
- ↑ Temperature range -5°C To +65°C.









Specification inch	I.D>	<0.D	Length Meters	W.P Bar	B.P Bar	Reference Weight	Measure mm
5/16	8	13	100	20	85	11.0	440×150
3/8	10	16	100	20	80	15.5	460×180
1/2	13	20	100	20	75	21.5	540×170
5/8	16	25	50	20	55	18.0	320×105
5/8	16	25	100	20	55	36.0	640×210
3/4	19	28.5	50	20	48	22.0	390×115
3/4	19	28.5	100	20	48	44.0	780×230
1	25	34.5	50	20	40	27.6	460×111
1	25	34.5	100	20	40	55.3	920×222



PVC YELLOW AIR HOSE



- \(\) High pressure industrial applications.
- Good flexible and durability against climate, abrasion, Chemical agent.
- Meets the international standard coupling according to the order.
- UV resistant,internal parts are resistant to algae flexible.
- ↑ Temperature range -5°C To +65°C.









Specification inch	I.D×	O.D	Length Meters	W.P Bar	B.P Bar	Reference Weight	Measure mm
1/4	6.5	12.5	100	40	160	11.0	380×190
5/16	8.5	14.5	100	40	150	13.0	400×200
3/8	10	16.5	100	40	120	16.2	450×200
1/2	12.5	20	100	30	100	23.0	560×190
5/8	15.5	23	50	30	85	13.7	600×210
3/4	19	28.5	50	25	75	21.1	650×220
1	25	34.5	50	25	60	26.1	700×230




HIGH QUALITY PVC CLEAR HOSE



- Designed for low-pressure transport of water, air, light chemicals and fat-free comestible substances.
- Good wear resistance and toughness, the product is light, soft, transparent, non-toxic.
- ↑ Temperature range -25°C To +65°C.









PVC BRAID REINFORCED HOSE



- The polyester thread with relatively stable high performance molecules and strong toughness is cross-woven in a network structure.
- Pressure hose designed to send all pesticides.
- Compressed airlight chemicals, fat-free comestible substances, substantial oil and fuel derivatives.
- Temperature range -15℃ To +75℃.







Specification inch	I.D×	(O.D	Length Meters	W.P Bar	B.P Bar	Reference Weight	Measure mm
5/32	4	9	100	12	70	6	340×100
1/4	6	11	100	10	60	8	350×130
5/16	8	13	100	10	50	10	390×150
3/8	9	14	100	10	45	11	430×170
1/2	12	17	100	8	40	14	460×180
5/8	16	21	100	8	32	18	540×200
3/4	19	25	50	8	28	12.5	530×170
27/32	22	28	50	6	25	14.5	650×140
1	25	31	50	6	22	15	660×200
1-1/4	32	39	50	5	20	25	820×280
1-1/2	38	46	40	5	18	26	890×230
2	50	60	40	4	15	40	1060×230



HIGH QUALITY BRAIDED HOSE







- Introduced the latest technology from Japan and South Korea, using imported PVC environmental protection materials and high-strength polyester reinforced wire manufacturing.
- Pressure hose designed to send all pesticides.
- Compressed airlight chemicals, fat-free comestible substances, substantial oil and fuel derivatives.
- UV resistant, internal parts are resistant to algae flexible.
- Polyester cross reinforcement.
- Temperature range -15℃ To +75℃.





Specification inch	I.D>	<0.D	Length Meters	W.P Bar	B.P Bar	Reference Weight	Measure mm
1/4	6	11	100	10	45	8.1	330×130
5/16	8	13.5	100	10	40	10.4	440×200
3/8	9	15	100	10	40	12.6	460×200
3/8	10	16	100	10	38	13.5	490×200
1/2	12	18	100	8	35	16.2	480×260
5/8	15	22	50	8	30	11.7	450×190
3/4	19	26	50	8	28	13.8	520×220
1	25	33	50	8	25	20.8	700×230
1-1/4	32	41	50	8	25	30.2	800×240
1-1/2	38	48	40	5	15	31.0	900×230
2	50	62	40	5	15	47.4	1040×230

EG-1015S Hose reel set









High quality and remental Hierally water loss; matching the edginal 18 mm garden loss which is an it witer lost, and weather billy.

Retilican be used in the cold want has.

With hose-cart-appearing, the hose-cambe ordered. The hose-cart can be moved to anywhere you spray. Long hose-canned a to the faucate connector, and won't harm the garden, shrub and furniture by putting hose along the path on the ground.





EG-308 Adjustable Spray Gun

- High impact-resistant brand new ABS plastic body construction for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.







Fine Mist

EG-1015 Hose Reel Cart

- Made of durable brand new PP plastic excellent performance and long lifetime.
- Anodized finish Aluminum tube made for armrest and stand, firm and acid-proof.
- Angled input connector prevent hose kinking and twisting.
- Anti-slip handle with comforts.





10m 1/2" 3 layer Eagle Garden Standard Hose

Item Number

- Black inner PVC layer keeps lights out so as to prevent any Algae or harmful bacteria.
- Middle layer made of polyester thread with high-quality reinforcement.
- Outter PVC layer for protection, make Eagle Garden hose stable and with long lifetime.
- Seven Hose Colors:

Picture





Hose Reel Set also includes

- ⇒ EG-314 1/2* hose connector x4
- ⇒ EG-366A 3/4" to 1/2" tap adapter x1







Fast connect

Tap adapter

POS EAGLE	EG1015-10G
	EG1015-10B
TAGLE	EG1015-10Y

est manual	EG1015-10BL
------------	-------------









Packing	color box
Pcs	6sets/ctn
Dim.ctn	30x25.5x31.5
m³/ctn	0.024
ctn	78x32x66
N.W/G.W(kg)	18.6/19.6
Pcs/20'/40'/40HQ	1083/2250/2833







EG-308 Adjustable Spray Gun

- High impact-resistant brand new ABS plastic body construction for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.









EG-1015 Hose Reel Cart

- Made of durable brand new PP plastic excellent performance and long lifetime.
- Anodized finish Aluminum tube made for armrest and stand, firm and acid-proof.
- Angled input connector prevent hose kinking and twisting.
- Anti-slip handle with comforts.



15m 1/2" 3 layer Eagle Garden Standard Hose

Item Number

- Black inner PVC layer keeps lights out so as to prevent any Algae or harmful bacteria.
- Middle layer made of polyester thread with high-quality reinforcement.
- Outter PVC layer for protection, make Eagle Garden hose stable and with long lifetime.
- Seven Hose Colors:

Picture





Hose Reel Set also includes

- ⇒EG-314 1/2' hose connector x4
- ⇒EG-366A 3/4° to 1/2° tap adapter x1









Fast connect

Tap adapter

EAGLE SAGE	EG1015-15G
- Constant	

EG1015-15B

EG1015-15Y

EG1015-15BL

EG1015-15GN EAGLE GA

EG1015-15BN

EG1015-150



Packing	color box
Pcs	6 sets/ctn
Dim.ctn	30x25.5x31.5
m²/ctn	0.024
ctn	78×32×66
N.W/G.W(kg)	21/22
Pcs/20'/40'/40HQ	1083/2250/2833











EG-308 Adjustable Spray Gun

- High impact-resistant brand new ABS plastic body construction for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.









EG-2030 Hose Reel Cart

- Made of durable brand new PP plastic excellent performance and long lifetime.
- Anodized finish Aluminum tube made for armrest and stand, firm and acid-proof.
- Angled input connector prevent hose kinking and twisting.
- Anti-slip handle with comforts.



20m 1/2" 3 layer Eagle Garden Standard Hose

Item Number

- Black inner PVC layer keeps lights out so as to prevent any Algae or harmful bacteria.
- Middle layer made of polyester thread with high-quality reinforcement.
- Outter PVC layer for protection, make Eagle Garden hose stable and with long lifetime.
- Seven Hose Colors:

Picture









Hose Reel Set also includes

- ⇒EG-314 1/2* hose connector x4
- ⇒EG-366A 3/4" to 1/2" tap adapter x1









Fast connect

Tap adapter

EAGLE	EG2030-20G
	EG2030-20B

EG2030-20Y

EG2030-20BL

EG2030-20GN

EG2030-20BN

EG2030-200



Packing	color box
Pcs	4 sets/ctn
Dim.ctn	34x34x38
m³/ctn	0.045
ctn	70x36x78
N.W/G.W(kg)	18.52 / 19.52
Pcs/20'/40'/40HQ	565/1173/1478







EG-308 Adjustable Spray Gun

- High impact-resistant brand new ABS plastic body construction for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.









EG-2030 Hose Reel Cart

- Made of durable brand new PP plastic excellent performance and long lifetime.
- Anodized finish Aluminum tube made for armrest and stand, firm and acid-proof,
- Angled input connector prevent hose kinking and twisting.
- Anti-slip handle with comforts.



30m 1/2" 3 layer Eagle Garden Standard Hose

Item Number

- Black inner PVC layer keeps lights out so as. to prevent any Algae or harmful bacteria.
- Middle layer made of polyester thread with high-quality reinforcement.
- Outter PVC layer for protection, make Eagle Garden hose stable and with long lifetime.
- Seven Hose Colors:

Picture





Hose Reel Set also includes

- ⇒EG-314 1/2* hose connector x4
- ⇒EG-366A 3/4* to 1/2* tap adapter x1









Fast connect

Tap adapter

not EAGLE	EG2030-30G	
300	FC2000 20D	

EG2030-30B

EG2030-30Y

EG2030-30BL

EG2030-30GN

EG2030-30BN

EG2030-300



color box
4 sets/ctn
34x34x38
0.045
70x36x78
24.8 / 25.8
565/1173/1478









EG-308 Adjustable Spray Gun

- High impact-resistant brand new ABS plastic body construction for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.









EG-2030DL Hose Reel Cart

- Made of durable brand new PP plastic excellent performance and long lifetime.
- Anodized finish Aluminum tube made for armrest and stand, firm and acid-proof.
- Lengthened Anodized aluminum armrest and reinforced ABS wheel makes easy movement.
- Angled input connector prevent hose kinking and twisting.
- Anti-slip handle with comforts.




20m 1/2" 3 layer Eagle Garden Standard Hose

- Slack inner PVC layer keeps lights out so as to prevent any Algae or harmful bacteria.
- Middle layer made of polyester thread with high-quality reinforcement.
- Outter PVC layer for protection, make Eagle Garden hose stable and with long lifetime.
- Seven Hose Colors:









EG2030DL-20Y

EG2030DL-20BL

EG2030DL-20GN

EG2030DL-20BN

EG2030DL-200





Hose Reel Set also includes

⇒EG-314 1/2* hose connector x4

⇒EG-366A 3/4" to 1/2" tap adapter x1









Fast connect

Tap adapter

Packing	color box
Pcs	2 sets/ctn
Dim.ctn	41.5x39.5x44
m³/ctn	0.045
ctn	80x42.5x45
N.W/G.W(kg)	9.26 / 10.1
Pcs/20'/40'/40HQ	565/1173/1478





EG-3230S Hose reel set





EG-308 Adjustable Spray Gun

- High impact-resistant brand new ABS plastic body construction for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.









EG-3230 Hose Reel Cart

- Made of durable brand new PP plastic excellent performance and long lifetime.
- Anodized finish Aluminum tube made for armrest and stand, firm and acid-proof.
- Angled input connector prevent hose kinking and twisting.
- Anti-slip handle with comforts.



20m 1/2" 3 layer Eagle Garden Standard Hose

- Black inner PVC layer keeps lights out so as to prevent any Algae or harmful bacteria.
- Middle layer made of polyester thread with high-quality reinforcement.
- Outter PVC layer for protection, make Eagle Garden hose stable and with long lifetime.
- Seven Hose Colors.



Picture Item Number

EAGLE STATE	EG3230-200
-------------	------------



EG3230-20Y

EG3230-20BL

EG3230-20GN

EG3230-20BN

EG3230-200





Hose Reel Set also includes

⇒EG-314 1/2* hose connector x4

⇒EG-366A 3/4" to 1/2" tap adapter x1









Fast connect

Tap adapter



Packing	color box
Pcs	4 sets/ctn
Dim.ctn	34x31x36
m³/ctn	0.038
ctn	70x36x78
N.W/G.W(kg)	19.8 / 20.8
Pcs/20'/40'/40HQ	565/1173/1478







EG-308 Adjustable Spray Gun

- High impact-resistant brand new ABS plastic body construction for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.









EG-3230 Hose Reel Cart

- Made of durable brand new PP plastic excellent performance and long lifetime.
- Anodized finish Aluminum tube made for armrest and stand, firm and acid-proof.
- Angled input connector prevent hose kinking and twisting.
- Anti-slip handle with comforts.



Hose Reel Set also includes

- ⇒EG-314 1/2* hose connector x4
- ⇒EG-366A 3/4" to 1/2" tap adapter x1









Fast connect

Tap adapter

30m 1/2" 3 layer Eagle Garden Standard Hose

- Black inner PVC layer keeps lights out so as to prevent any Algae or harmful bacteria.
- Middle layer made of polyester thread with high-quality reinforcement.
- Outter PVC layer for protection, make Eagle Garden hose stable and with long lifetime.
- Seven Hose Colors:

Picture Item Number



EG3230-30G



EG3230-30B



EG3230-30Y



EG3230-30BL



EG3230-30GN



EG3230-30BN



EG3230-300



Packing	color box
Pcs	4 sets/ctn
Dim.ctn	34x31x36
m²/ctn	0.038
ctn	70x36x78
N.W/G.W(kg)	24.4 / 25.4
Pcs/20'/40'/40HQ	565/1173/1478















High quality/environmental=friendly water hose matching the original 13mm garden hose which is anti-ultraviolet, and weatherability.

It still can be used in the cold weather.

With hose cart appearing, the hose can be ordered. The hose cart can be moved to anywhere you spray! Long hose connects to the faucet connector, and won't harm the garden, shrub and furniture by putting hose along the path on the ground.





EG-308 Adjustable Spray Gun

- High impact-resistant brand new ABS plastic body construction for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.









EG-6230 Hose Reel Cart

- Made of durable brand new PP plastic excellent performance and long lifetime.
- Anodized finish Aluminum tube made for stand, firm and acid-proof.
- Angled input connector prevent hose kinking and twisting.
- Anti-slip handle with comforts.



20m 1/2" 3 layer Eagle Garden Standard Hose

- Black inner PVC layer keeps lights out so as to prevent any Algae or harmful bacteria.
- Middle layer made of polyester thread with high-quality reinforcement.
- Outter PVC layer for protection, make Eagle Garden hose stable and with long lifetime.
- Seven Hose Colors:

Picture





Hose Reel Set also includes

- ⇒EG-314 1/2* hose connector x4
- ⇒EG-366A 3/4" to 1/2" tap adapter x1









Fast connect

Tap adapter

EAGLE	EG6230-200

Item Number



EG6230-20Y

EG6230-20BL

EG6230-20GN EAGLE GA

EG6230-20BN

EG6230-200



Packing	color box
Pcs	4 sets/ctn
Dim.ctn	34x34x38
m³/ctn	0.045
ctn	70x36x78
N.W/G.W(kg)	20.8 / 21.8
Pcs/20'/40'/40HQ	619/1285/1613







EG-308 Adjustable Spray Gun

- High impact-resistant brand new ABS plastic body construction for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.









EG-6230 Hose Reel Cart

- Made of durable brand new PP plastic excellent performance and long lifetime.
- Anodized finish Aluminum tube made for stand, firm and acid-proof.
- Angled input connector prevent hose kinking and twisting.
- Anti-slip handle with comforts.



30m 1/2" 3 layer Eagle Garden Standard Hose

- Black inner PVC layer keeps lights out so as to prevent any Algae or harmful bacteria.
- Middle layer made of polyester thread with high-quality reinforcement.
- Outter PVC layer for protection, make Eagle Garden hose stable and with long lifetime.
- Seven Hose Colors:





EG6230-30G

EG6230-30B

EG6230-30Y

EG6230-30BL

EG6230-30GN

EG6230-30BN

EG6230-300



- ⇒EG-314 1/2' hose connector x4
- ⇒EG-366A 3/4° to 1/2° tap adapter x1









Fast connect

Tap adapter



Packing	color box
Pcs	4 sets/ctn
Dim.ctn	34x34x38
m³/ctn	0.045
ctn	70x36x78
N.W/G.W(kg)	26.24 / 27.24
Pcs/20'/40'/40HQ	619/1285/1613







15m Stackable Hose Reel Set

EG-702 Adjustable Spray Gun

- High impact-resistant plastic body construction coated with soft TPR rubber for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.
- One-Piece body design, perfect to prevent any leaning.







Strong Water Stream

EG-6150 Stackable Hose Reel Cart

- Made of durable brand new PP plastic with excellent performance and long lifetime.
- Angled input connector prevent hose kinking and twisting.
- Detachable handle with hand comforts.
- Portable and Stackable Design, Convenient for placing or displacing.



15m 1/2" 3 layer Eagle Garden Standard Hose

- Black inner PVC layer keeps lights out so as to prevent any Algae or harmful bacteria.
- Middle layer made of polyester thread with high-quality reinforcement.
- Outter PVC layer for protection, make Eagle Garden hose stable and with long lifetime.
- Seven Hose Colors:







EG6150-15B

EG6150-15Y

EG6150-15BL

EG6150-15GN

EG6150-15BN

EG6150-150





or







- ⇒EG-314 1/2* hose connector x4
- ⇒EG-366A 3/4" to 1/2" tap adapter x1





Fast connect

Packing	color box
Pcs	3 sets/ctn
Dim.ctn	35x25x82
m³/ctn	0.072
N.W/G.W(kg)	15.8/16.5
Pcs/20'/40'/40HQ	

Packing	color box
Pcs	4 sets/ctn
Dim.ctn	30x25.5x31.5
m³/ctn	0.024
ctn	63x24x55
N.W/G.W(kg)	16.67 / 17.17
Pcs/20'/40'/40HQ	



20m Stackable Hose Reel Set

EG-701 Adjustable Spray Gun

- High impact-resistant plastic body construction coated with soft TPR rubber for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.
- One-Piece body design, perfect to prevent any leaning.







Strong Water Stream

EG-6150 Stackable Hose Reel Cart

- Made of durable brand new PP plastic with excellent performance and long lifetime.
- Angled input connector prevent hose kinking. and twisting.
- Detachable handle with hand comforts.
- Portable and Stackable Design, Convenient for placing or displacing.



20m 1/2" 3 layer Eagle Garden Standard Hose

- Black inner PVC layer keeps lights out so as to prevent any Algae or harmful bacteria.
- Middle layer made of polyester thread with high-quality reinforcement.
- Outter PVC layer for protection, make Eagle Garden hose stable and with long lifetime.
- Hose Specificationss: 12x15.3mm





- ⇒EG-314 1/2* hose connector x4
- ⇒EG-366A 3/4" to 1/2" tap adapter x1









Fast connect

Tap adapter



Packing	color box
Pcs	3 sets/ctn
Dim.ctn	35x25x82
m³/ctn	0.072
N.W/G.W(kg)	15.93/16.72
Pcs/20'/40'/40HQ	



Packing	color box
Pcs	4 sets/ctn
Dim.ctn	30x25.5x31.5
m²/ctn	0.024
ctn	63x24x55
N.W/G.W(kg)	16.8 / 17.3
Pcs/20'/40'/40HQ	



EG-3050S **Hose reel set** With hose cart appearing, the hose can be ordered. The hose cart can be moved to anywhere you spray I bong hose to one as forth a faucet connect and won't harm the garden, shrub, and furniture by putting hose along the path on the ground. High quality environmental filterally water hosse matching the original 16 mm grades has a which found = 10 m/det, and was heathly. It will can be used in the cold weather.




EG-308 Adjustable Spray Gun

- Tigh impact-resistant brand new ABS plastic body construction for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist,









EG-3050 Hose Reel Cart

- Made of durable brand new PP plastic excellent performance and long lifetime.
- Anodized finish Aluminum tube made for armrest and stand, firm and acid-proof.
- Angled input connector prevent hose kinking and twisting.
- Anti-slip handle with comforts.



50m 1/2" 3 layer Eagle Garden Standard Hose

Item Number

- Black inner PVC layer keeps lights out so as to prevent any Algae or harmful bacteria.
- Middle layer made of polyester thread with high-quality reinforcement.
- Outter PVC layer for protection, make Eagle Garden hose stable and with long lifetime.
- Seven Hose Colors:

Picture





Hose Reel Set also includes

- ⇒EG-314 1/2* hose connector x4
- ⇒EG-366A 3/4* to 1/2* tap adapter x1









Fast connect

Tap adapter

EG3050-50B

EG3050-50Y


EG3050-50BL

EG3050-50GN

EG3050-50BN

EG3050-500












EG-308 Adjustable Spray Gun

- Thigh impact-resistant brand new ABS plastic body construction for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.









EG-3050 Hose Reel Cart

- Made of durable brand new PP plastic excellent performance and long lifetime.
- Anodized finish Aluminum tube made for armrest and stand, firm and acid-proof. Lengthened Anodized aluminum armrest and reinforced ABS wheel makes easy movement.
- Angled input connector prevent hose kinking and twisting.
- Anti-slip handle with comforts.



30m 1/2" 3 layer Eagle Garden Standard Hose

- Black inner PVC layer keeps lights out so as to prevent any Algae or harmful bacteria.
- Middle layer made of polyester thread with high-quality reinforcement.
- Outter PVC layer for protection, make Eagle Garden hose stable and with long lifetime.
- Seven Hose Colors:







EG3050DL-30B

EG3050DL-30Y

EG3050DL-30BL EG3050DL-30GN

EG3050DL-30BN

EG3050DL-30O





- ⇒EG-314 1/2* hose connector x4
- ⇒EG-366A 3/4* to 1/2* tap adapter x1









Fast connect

Tap adapter

Packing	color box
Pcs	2 sets/ctn
Dim.ctn	41.5x39.5x44
m³/atn	0.045
ctn	80x42.5x45
N.W/G.W(kg)	14.4 / 15.4
Pcs/20'/40'/40HQ	306/634







EG-308 Adjustable Spray Gun

- High impact-resistant brand new ABS plastic body construction for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.









EG-3050 Hose Reel Cart

- Made of durable brand new PP plastic excellent performance and long lifetime.
- Anodized finish Aluminum tube made for armrest and stand, firm and acid-proof. Lengthened Anodized aluminum armrest and reinforced ABS wheel makes easy movement.
- Angled input connector prevent hose kinking and twisting.
- Anti-slip handle with comforts.





50m 1/2" 3 layer Eagle Garden Standard Hose

- Black inner PVC layer keeps lights out so as to prevent any Algae or harmful bacteria.
- Middle layer made of polyester thread with high-quality reinforcement.
- Outter PVC layer for protection, make Eagle Garden hose stable and with long lifetime.
- Seven Hose Colors:




Picture Item Number










EG3050DL-50GN EAGLE GA

EG3050DL-50BN







- ⇒EG-314 1/2* hose connector x4
- ⇒EG-366A 3/4" to 1/2" tap adapter x1









Fast connect.

Tap adapter



Packing	color box
10.00	DATE DOM
Pcs	2 sets/ctn
Dim.ctn	41.5x39.5x44
m³/ctn	0.045
ctn	80x42.5x45
N.W/G.W(kg)	19.2 / 20.2
Pcs/20'/40'/40HΩ	306/634





EG-3280S Hose reel set






EG-308 Adjustable Spray Gun

- High impact-resistant brand new ABS plastic body construction for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.







EG-3280 Hose Reel Cart

- Made of durable brand new PP plastic excellent performance and long lifetime.
- Anodized finish Aluminum tube made for armrest and stand, firm and acid-proof. Lengthened Anodized aluminum armrest and reinforced ABS wheel makes easy movement.
- Angled input connector prevent hose kinking and twisting
- Anti-slip handle with comforts.



80m 1/2" 3 layer Eagle Garden Standard Hose

- Black inner PVC layer keeps lights out so as to prevent any Algae or harmful bacteria.
- Middle layer made of polyester thread with high-quality reinforcement.
- Outter PVC layer for protection, make Eagle Garden hose stable and with long lifetime.
- Seven Hose Colors:









EG3280-80Y

EG3280-80BL

EG3280-80GN

EG3280-80BN

EG3280-800



- ⇒EG-314 1/2* hose connector x4
- ⇒EG-366A 3/4" to 1/2" tap adapter x1









Fast connect

Tap adapter



Packing	color box
Pcs	1sets/ctn
Dim.ctn	41x48x49
m³/ctn	0.096
ctn	
N.W/G.W(kg)	6.84/7.84
Pcs/20'/40'/40HQ	291/562/708










EG-308 Adjustable Spray Gun

- High impact-resistant brand new ABS plastic body construction for confort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.







EG-6250DL Hose Reel Cart

- Store up to max. 50M(1/2*or13mm)hose Easy assembly without tools.
- Angled hose connection prevents hose form wraping, kinking or twisting while winding on and off.
- Simply click hose connector onto the storage terminal after use.
- Rust and corrosion resistance.



50m 1/2"3 layer Eagle Garden Standard Hose

- Dlack inner PVC layer keeps out so as to prevent any Algae or harmful bacteria.
- Middle layer made of polyester thread with high-quality reinforcement.
- Outter PVC layer for protection, make Eagle Garden hose stable and with long lifetime.
- Seven Hose Colors.





- ⇒ EG-314 1/2*hose connector ×4
- ⇒ EG-366A 3/4" to 1/2" tap adapter x 1









Fast connect

Tap adapter

Picture	Item Number
EAGLE EAGLE	EG6250-50G
	EG6250-50B
EAGLE	EG6250-50Y
	EG6250-50BL
EN EAGLE GA	EG6250-50GN
EAGLE GA	EG6250-50BN
THE REAL PROPERTY.	EG6250-500

Packing	carton
Pcs	1sets/ctn
Dim.ctn	40×50×66
m³/ctn	0.132
etn	
N.W/G.W(kg)	9.1/8.6
Pcs/20'/40'/40HQ	212/440/515









EG-308 Adjustable Spray Gun

- High impact-resistant brand new ABS plastic body construction for confort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.





Strong Water Stream

EG-6280DL Hose Reel Cart

- Store up to max. 80M(1/2*or13mm)hose Easy assembly without tools.
- Angled hose connection prevents hose form wraping, kinking or twisting while winding on and off.
- Simply click hose connector onto the storage terminal after use.
- Rust and corrosion resistance.



80m 1/2"3 layer Eagle Garden Standard Hose

- Black inner PVC layer keeps out so as to prevent any Algae or harmful bacteria.
- Middle layer made of polyester thread with high-quality reinforcement.
- Outter PVC layer for protection, make Eagle Garden hose stable and with long lifetime.
- Seven Hose Colors.







- ⇒ EG-314 1/2 hose connector ×4
- ⇒ EG-366A 3/4° to 1/2° tap adapter x 1







Fast connect

Tap adapter

Packing	carton
Pcs	1sets/ctn
Dim.ctn	51×51×57
m³/ctn	0.15
ctn	
N.W/G.W(kg)	7,84/8,84
Pcs/20'/40'/40HQ	190/400/460







Fully enclosed Hose Reel Set

EG-702 Adjustable Spray Gun







Strong Water Stream


ine Mist

Functions and features

New upgrade, integrated storage, no assembly, seconds to collect the pipe. The housing is made of high-strength engineering plastic with Eagle 1/2" water pipes. Long service life, sunscreen and antifreeze, flexible and thick.







EG-2000 Hose Reel Set

Adjustable Spray Gun





Strong Water Stream

Fine Mist

Functions and features

Which can be installed on the wall, 180 degrees free swing. Use of high-strength engineering plastics casing, with 20M original Italian imported Fitt 1/2 hose, connector and senior spray nozzie.

Length	Item Number
15M	EG2000-15M
20M	EG2000-20M
30M	EG2000-30M







Packing	color box
Pcs	1
Dim.ctn	27×37×46
m³/ctn	0.05
ctn	
N.W/G.W(kg)	9.0/9.3
Pcs/20'/40'/40HQ	480/1080

Hose Reel Cart





EG-3100 Luxury Hose Hanger



- Made of durable brand new PP plastic with excellent performance and long lifetime.
- Leaves space for placing watering tools e.g. Sprayer, nozzle.
- Mounted on the wall for saving space.



Packing	color box
Pcs	60
Dim.ctn	68x34x58
m³/ctn	0.07
N.W/G.W(kg)	17/18
Pcs/20'	237610



EG-3200 Hose Hanger



- Made of durable brand new PP plastic with excellent performance and long lifetime.
- Leaves space for placing watering tools e.g. Sprayer, nozzle.
- Mounted on the wall for saving space.



60
E22EE2
52x25x52
0.07
8.4/9.0
23760



EG-3110 Hose Hanger



- Made of high-impact plastic with good performance and long lifetime.
- Hanger makes easy movement.
- Leaves space for placing the watering nozzles.



Packing	color box
Pcs	
Dim.ctn	59x49x28
m³/ctn	
N.W/G.W(kg)	1.8/1.9
Pcs/20'	



EG-6150 Stackable Portable Hose Reel





- Made of durable brand new PP plastic with excellent performance and long lifetime.
- Angled input connector prevent hose kinking and twisting.
- Detachable handle with hand comforts.
- Portable and Stackable Design, Convenient for placing or displacing.
- Max. 18m 1/2" hose for storage.











Packing	color box
Pcs	4
Dim.ctn	63x24x55
m³/ctn	0.08
N.W/G.W(kg)	5.44/5.94
Pcs/20'/40'/40HQ	1512/2613/2937



EG-1015 Hose Reel



- Made of durable brand new PP plastic and anodized aluminum tube, brings excellent performance and long lifetime.
- Angled input connector prevent hose kinking and twisting.
- Anti-slip handle with comforts.
- Max. 18m 1/2" hose for storage.











color box
12
56x38,5x54
0.116
12.0/13.5
2689/5586/7034



EG-2030 Hose Reel



- Made of durable brand new PP plastic and anodized aluminum tube, brings excellent performance and long lifetime.
- Angled input connector prevent hose kinking and twisting.
- Anti-slip handle with comforts.
- Max. 30m 1/2" hose for storage.









Packing	color box
Pcs	12
Dim.ctn	63x38x63
m³/ctn	0.15
N.W/G.W(kg)	16.8/17.8
Pcs/20'/40'/40HQ	2079/4320/5440







EG-3230 Hose Reel



- Made of durable brand new PP plastic and anodized aluminum tube, brings excellent performance and long lifetime.
- Angled input connector prevent hose kinking and twisting.
- Anti-slip handle with comforts.
- Max. 30m 1/2" hose for storage.









Packing color box Pos 12 Dim.ctn 63x38x63 m³/ctn 0.15 N.W/G.W(kg) 18.42/19.42 Pcs/20'/40'/40HQ 2079/4320/5440





EG-6230 Hose Reel



- Made of durable brand new PP plastic and anodized aluminum tube, brings excellent performance and long lifetime.
- Angled input connector prevent hose kinking and twisting.
- Anti-slip handle with comforts.
- Triangular body design, firm and stable.
- Max. 30m 1/2" hose for storage.











Packing color box Pcs Dim.ctn 79x35x39 m³/ctn 0.11 N.W/G.W(kg) 10.38/11.38 Pcs/20'/40'/40HQ 1418/2954/3709





EG-3050 Hose Reel



- Made of durable brand new PP plastic and anodized aluminum tube, brings excellent performance and long lifetime.
- Angled input connector prevent hose kinking and twisting.
- Anti-slip handle with comforts.
- Max. 50m 1/2" hose for storage.









Packing color box Pcs. Dim.ctn 77x38x50 m³/ctn 0.15 N.W/G.W(kg) 13.2/14.8 Pcs/20'/40'/40HQ 1039/2160/2720








EG-2030DL Hose Reel







Angled input connector prevent hose kinking and twisting

Anti-slip handle with comforts.

Lengthened Anodized aluminum armrest and rainforced ABS wheel makes easy movement.

Max. 30m 1/2" hose for storage.





Packing	color box
Pcs	6
Dim,ctn	77x38x50
m³/ctn	0.15
N.W/G.W(kg)	13.2/14.8
Pcs/20'/40'/40HQ	1039/2160/2720






EG-3050DL Hose Reel







Angled input connector prevent hose kinking and twisting.

Anti-slip handle with comforts.

Lengthened Anodized aluminum armrest and rainforced ABS wheel makes easy movement.

Max, 50m 1/2" hose for storage,









Packing	color box
Pcs	6
Dim.ctn	77x38x50
m³/ctn	0.15
N.W/G.W(kg)	13.2/14.8
Pcs/20'/40'/40HQ	1039/2160/2720





EG-3280DL Hose Reel





- Made of durable brand new PP plastic and anodized aluminum tube, brings excellent performance and long lifetime.
- Angled input connector prevent hose kinking and twisting.

Anti-slip handle with comforts.

- Lengthened Anodized aluminum armrest and rainforced ABS wheel makes easy movement.
- Max. 80m 1/2" hose for storage.











Packing	color box
Pcs	4
Dim.ctn	7Bx50x42
m³/ctn	0,164
N.W/G.W(kg)	14.1/16
Pcs/20'/40'/40HQ	951/1975/2487







EG-6250DL Hose Reel



- Store up to max. 50m(1/2"or13mm)hose Easy assembly without tools.
- Angled hose connection prevents hose form wraping, kinking or twisting while winding on and off.
- Simply click hose connector onto the storage terminal after use.
- Rust and corrosion resistance.

EG-6280DL Hose Reel



- Store up to max. 80m(1/2*or13mm)hose Easy assembly without tools.
- Angled hose connection prevents hose form wraping, kinking or twisting while winding on and off
- Simply click hose connector onto the storage terminal after use.
- Rust and corrosion resistance.





Packing	牛皮纸盒
Pcs	4
Dim.ctn	56×41×63
m³/ctn	0.145
N.W/G.W(kg)	10.8/12.8
Pcs/20'/40'/40HQ	780/1612/1888

















Packing	牛皮纸盒
Pcs	4
Dim.ctn	56×41×63
m³/ctn	0.145
N.W/G.W(kg)	10.8/12.8
Pcs/20'/40'/40HQ	780/1612/1888











EG-201 Metal Adjustable Spray Gun with Brass Nozzle



Adjustable Spray Gun





Strong Water Stream

Functions and features

- Eco-Friendly Zinc Alloy Body construction with anti-slip soft.
- TPR coating for comfortable Use.
- Eco-Friendly Brass Adjusting Nozzle and water flow control.
- 304 Stainless Steel Front Trigger with anti-slip rubber coating.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.



EG-208 8 Pattern Metal Spray Gun



Adjustable Spray Gun















SHOWER

Functions and features

- Eco-Friendly Zinc Alloy Body construction with anti-slip soft.
- TPR coating for comfortable Use.
- Eco-Friendly Brass Adjusting Nozzle and water flow control.
- 304 Stainless Steel Front Trigger with anti-slip rubber coating.
- Eight watering Patterns switchable: Flat, Angle Fan, Shower, Center, Cone, Full, Mist.



EG-612 Adjustable Spray Nozzle



Adjustable Spray Gun





Strong Water Stream

Functions and features

- Eco-Friendly Zinc Alloy Body construction with anti-slip soft.
- TPR coating for comfortable Use.
- Eco-Friendly Brass Adjusting Nozzle and water flow control.
- 304 Stainless Steel Front Trigger with anti-slip rubber coating.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.





EG-801 Adjustable Spray Nozzle

Adjustable Spray Gun





Strong Water Stream Fine Mist

Functions and features

- High impact-resistant brand new ABS plastic body construction for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.
- Watering lock make spraying easy and convenient.
- Come with 1pc 1/2" fast-fitted hose connector.





Packing blister card Pcs 100 Dim.atn 98x33x54 m'/ctn 0.175 N.W/G.W(kg) 16.8/18.8 Pcs/201 14850



Adjustable Spray Gun





Strong Water Stream Fine Mist

Functions and features

- High impact-resistant brand new ABS plastic body construction for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.
- Comfortable handle cover fits hand's comfort using. Watering lock make spraying easy and convenient. Come with 1pc 1/2* fast-fitted hose connector.





Pos Dim.ctn m³/ctn N.W/G.W(kg) Pcs/20"

blister pard 100 98x33x54 0.175 20.95/22.95 14850

EG-803 Adjustable Spray Nozzle



Adjustable Spray Gun





Strong Water Stream

Functions and features

- High impact-resistant brand new ABS plastic body construction for comfort use
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.
- Watering lock make spraying easy and convenient.
- Come with 1pc 1/2' fast-fitted hose connector.






Packing blister card Pcs 100 Dim.ctn 98x33x54 m'/ctn 0.175 N.W/G.W(kg) 17.53/19.53 Pcs/20' 14850

EG-804 Adjustable Spray Nozzle



Adjustable Spray Gun





Functions and features

- High impact-resistant brand new ABS plastic body construction for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.
- Comfortable handle cover fits hand's comfort using Watering lock make spraying easy and convenient Come with 1pc 1/2" fast-fitted hose connector.





Packing blister card Pcs 100 Dim.ctn 98x33x54 m³/ctn 0.175 N.W/G.W(kg) 21.69/23.69 Pcs/20' 14850








EG-801A Adjustable Spray Nozzle

Functions and features

- Thigh impact-resistant brand new ABS plastic body
- Stream and Fine Mist.











EG-802A Adjustable Spray Nozzle

Fine Mist

Functions and features

- High impact-resistant brand new ABS plastic body
- construction for comfort use. Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.
- Watering lock make spraying easy and convenient.
- Comfortable handle cover fits hand's comfort using. Come with 2pcs 1/2" fast-fitted hose connector and ipc 3/4" to 1/2" tap adapter





blister card 100 98×33×54 0.175 25.12/27.12 12300



Strong Water Stream Fine Mist

Adjustable Spray Gun

Adjustable Spray Gun

Strong Water Stream

EG-803A Adjustable Spray Nozzle



Adjustable Spray Gun



Strong Water Stream



Fine Mist


Functions and features

- High impact-resistant brand new ABS plastic body construction for comfort use.
- Infinitely adjustable two pattern sprey jet: Strong Water Stream and Fine Mist.
- Watering lock make spraying easy and convenient.
 Come with 2pcs 1/2" last—litted hose connector and 1pc 3/4" to 1/2" tap adapter.






blister card Packing Pcs 100 98x33x54 Dim.ctn 0.175 m³/ctn N:W/G.W(kg) 21.67/23.7 Pcs/20' 12300





Adjustable Spray Gun



Strong Water Stream

Functions and features

- High impact-resistant brand new ABS plastic body construction for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.
- Watering lock make spraying easy and convenient.
- Comfortable handle cover fits hand's comfort using. Come with 2pcs 1/2" fast-fitted hose connector and 1pc 3/4" to 1/2" tap adapter.





Packing blister card 100 Pcs 98x33x54 Dim.ctn 0.175 m³/ctn N.W/G.W(kg) 25.83/27.83 Pcs/20" 12300





EG-308 Adjustable Spray Nozzle



Adjustable Spray Gun





Strong Water Stream Fine Mist

Functions and features

- High impact-resistant brand new ABS plastic body construction for comfort use. Infinitely adjustable two pattern spray jet: Strong
- Water Stream and Fine Mist,
- Watering lock make spraying easy and convenient. Fully adjustable flow rate. Come with 1pc 1/2" fast-fitted hose connector.



Packing	blister card
Pcs	100
Dim.ctn	98x33x54
m³/ctn	0.175
N.W/G.W(kg)	17.78/19.78
Pcs/20*	12300

EG-303 8 Pattern Spray Gun Set

Adjustable Spray Gun
















Functions and features

- High impact-resistant brand new ABS plastic body construction for comfort use. Eight watering Patterns switchable: Flat, Angle Fan,
- Shower, Center, Cone, Full, Mist.
- Watering lock make spraying easy and convenient. Fully adjustable flow rate. Come with 2pcs 1/2* last-fitted hose connector
- and 1pc 3/4" to 1/2" tap adapter.







EG-818 8 Pattern Spray Gun Set

Adjustable Spray Gun



111111











Functions and features

- High impact-resistant brand new ABS plastic body
- High impact—resistant orang new Ado plastic body construction for comfort use.
 Eight watering Patterns switchable: Flat, Angle Fan, Shower, Center, Cone, Full, Mist.
 Watering lock make spraying easy and convenient.
- Fully adjustable flow rate. Come with 2pcs 1/2" fast-fitted hose connector
- and 1pc 3/4" to 1/2" tap adapter.





Packing Pcs 60 65×47.5×61.5 Dim.etn 0.19 m³/ctn N.W/G.W(kg) 17.06/18.86 Pcs/20' 8210

EG-828 8 Pattern Spray Gun Set

Adjustable Spray Gun









MST



Functions and features

- High impact-resistant brand new ABS plastic body
- righ impact—resistant brand new ABS plastic body construction for comfort use.

 Eight watering Patterns switchable: Flat, Angle Fan, Shower, Center, Cone, Full, Mist.

 Comfortable handle cover fits hand's comfort using.
- Watering lock make spraying easy and convenient. Fully adjustable flow rate.

 Come with 2pcs 1/2* fast-fitted hose connector and 1pc 3/4* to 1/2* tap adapter.

 Deskin







Packing blister card Pcs Dim.ctn 65×47.5×61.5 m³/ctn 0.19 N.W/G:W(kg) 19 56/21.36 Pcs/20* 8210





EG-601 Adjustable Spray Nozzle

Functions and features

- High impact-resistant brand new ABS plastic body construction coated with soft TPR rubber for comfort use.

 Anti-slip rubber edge on the nozzle to infinitely adjust two pattern spray jet: Strong Water Stream and Fine Mist.

 Brass watering flow control make spraying easy and convenient.

 Watering Lock make spraying stays in a working status simply.

 Bottom connector detachable so as to suit the fitted hose with standard thread.

- standard thread.

 Corne with 1pc 1/2" fast-fitted hose connector.







Packing blister card Pcs 100 Dim.qtn 98.5x37.5x54.5 m³/ctn 0.2 N.W/G.W(kg) 30,43/32,43 Pcs/201 13000

EG-602 Adjustable Spray Nozzle


Fine Mist



Adjustable Spray Gun

Adjustable Spray Gun

Strong Water Stream



Strong Water Stream Fine Mist

Functions and features

- High Impact-resistant brand new ABS plastic body construction coated with soft TPH rubber for comfort use.
 Anti-slip rubber edge on the nozzle to infinitely adjust two pattern spray jet: Strong Water Stream and Fine Mist.
 Infinitely adjustable switch with automatic watering lock.
 Bottom connector detachable so as to suit the fitted hose with

- standard thread.

 Come with 1pc 1/2' fast-fitted hose connector.







Packing blister card Pcs 100 Dim.ctn 98 5x37 5x54 5 m³/ctn 0.2 N.W/G.W(kg) 29.95/31.95 Pcs/201 13000

EG-603 7 Pattern Spray Gun Set

Adjustable Spray Gun















SHOWER

Functions and features

- High impact—resistant brand naw ABS plastic body construction coated with soft TFR rubber for condoct use.
 Eight watering Patterns switchable: Center, Mist, Cone, Full, Angle, Shower, Flat.
 Infinitely adjustable switch with automatic watering lock.
 Bottom connector detachable so as to suit the fitted hose with
- standard thread
- Come with 1pc 1/2' fast-fitted hose connector








blister card Packing Pcs 60 65x47.5x61.5 Dim.ctn 0.19 m³/ctn N.W/G.W(kg) 21.86/23.66 Pcs/201 8210

EG-605 7 Pattern Spray Gun Set



Adjustable Spray Gun





ANGLE

Functions and features


- High impact-resistant brand new ABS plastic body construction coated with soft TPR rubber for comfort use.
- Eight watering Patterns switchable: Center, Mist, Cone, Full, Angle, Shower, Flat.
 Inflinitely adjustable switch with automatic watering lock.
 Bottom connector detachable so as to suit the fitted hose with standard throad.
 Come with 1pc 1/2" fast-fitted hose connector.







blister pard 65x47.5x61.5 24.36/26.16 8210







EG-608 7 Pattern Spray Gun Set

Adjustable Spray Gun















Packing blister card Pcs 60 Dim.ctn 65x47.5x61.5 m³/ctn 0.19 N.W/G.W(kg) 21.86/23.66 Pcs/20" 8210

SHOWER

EG-614A Adjustable Spray Nozzle Set

Adjustable Spray Gun





Strong Water Stream Fine Mist

Functions and features

Functions and features

- High impact-resistant brand new PP plastic body construction.
- coared with soft rubber for conflort use.

 Anti-slip rubber edge on the nozzle to infinitely adjust two pattern spray jet: Strong Water Stream and Fine Mist.

 Brass watering flow control make spraying easy and convenient.

 Watering Lock make spraying stays in a working status simply.

 Bottom connector detachable so as to suit the fitted hose with
- standard thread.

 Come with 2pcs 1/2' last-fitted hose connector and 1pc 3/4" to 1/2" tap adapter.





Packing blister card Pcs 100 Dim.ctn 98x33x64 m³/ctn 0.175 N.W/G.W(kg) 32/34 Pcs/20* 12300

EG-701 Adjustable Watering Nozzle

Adjustable Spray Gun





Strong Water Stream Fine Mist

Functions and features

- High impact-resistant plastic body construction coated with soft TPR rubber for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.
- Come with 1pc 1/2" last-fitted hose connector.




Packing	blister card
Pcs	250
Dim.ctn	98x33x54
m¹/ctn	0.175
N.W/G.W(kg)	29.09/31.09
Pcs/201	37142

EG-701A Adjustable Watering Nozzle



Adjustable Spray Gun



Strong Water Stream Fine Mist

Functions and features

- High impact-resistant plastic body construction coated with soft TPR rubber for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.
- Come with 2pcs 1/2" fast-fitted hose connector and 1pc 3/4" to 1/2" tap adapter.



Packing	blister card
Pcs	200
Dim.ctn	98x33x54
m³/atn	0.175
N.W/G.W(kg)	29.09/31.09
Pcs/20'	





Luxury Adjustable Watering Nozzle EG-702

Adjustable Spray Gun





Strong Water Stream Fine Mist

Functions and features

- High impact-resistant plastic body construction coated with soft TPR rubber for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.
- One-Piece body design perfect to prevent any leaning Come with 1pc 1/2* fast-fitted hose connector.





Packing Pcs Dim.ctn m³/ctn N.W/G.W(kg) Pcs/20'

blister card 250 98x33x54 0.175 29.09/31.09 37142

EG-702A Luxury Adjustable Watering Nozzle

Adjustable Spray Gun





Strong Water Stream Fine Mist

Functions and features

- High impact-resistant plastic body construction conted with soft TPR rubber for comfort use.
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.
- One-Piece body design, perfect to prevent any leaning
 Come with 2pcs 1/2" fast-fitted hose connector and 1pc 3/4" to 1/2" tap adapter.





Packing Pcs. Dim.ctn m³/ctn N.W/G.W(kg) Pcs/20'

blister card 200 98x33x54 0.175 29.09/31,09

EG-72811A Brass Adjustable Nozzle Set

Adjustable Spray Gun





Strong Water Stream Fine Mist

Functions and features

- Whole Brass body construction with anti-slip processing for comfortable use
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.
- CCome with 2pcs 1/2" fast-fitted hose connector and 1pc 3/4" to 1/2" tap adapter.








Packing blister card Pcs 250 Dim ctn 98933954 m³/ctn 0.175 N.W/G.W(kg) Pcs/20"

EG-72812A Brass Adjustable Nozzle Set



Adjustable Spray Gun



Strong Water Stream Fine Mist

Functions and features

- Whole Brass body construction with anti-slip processing for comfortable use
- Infinitely adjustable two pattern spray jet: Strong Water Stream and Fine Mist.
- Come with 2pcs 1/2" fast-fitted hose connector and 1pc 3/4" to 1/2" tap adapter.





Packing blister card Pcs 250 Dim.ctn 98x33x54 m³/ctn 0.175 N.W/G.W(kg) Pcs/20*





EG-309 7-pattern water wand



EG-310 Garden shower with tripod







Vertical simle shower with lengthened aluminum rod, stable tripod and movable shower is simple and convenient.

Packing	carton
Pcs	6
Dim.ctn	92x40x29
m³/ctn	0.11
N.W/G.W(kg)	
Den/201	1410







2 function spray gun show:





7 function spray gun show:















8 function spray gun show:



















EG-6103 19 Nozzles Oscillating Sprinkler





19 nozzles oscillating aluminum arm. Light weight plastic stand. Infinite adjustment of spray width. Filter net for the input nozzle.

Packing	color box
Pcs	12
Dim.ctn	50x46x42
m³/ctn	0.097
N.W/G.W(kg)	11/12
Pcs/201/401/40HQ	3300/7200/8640

EG-6105 Three arm sprinkler with plastic spike



Packing	color box	
Pcs	24/144	
Dim.ctn	65x47.5x61.5	
m¹/ctn	0.019	
N.W/G.W(kg)	12/13.5	
Pee/201/401/40HO	3240/5832/8912	

EG-6106 Three arm sprinkler with metal spike



Packing	color box
Pcs	24/144
Dim.ctn	65x47.5x61.5
m¹/ctn	0.019
N.W/G.W(kg)	12/13.5
Pcs/20'/40'/40HQ	3240/5832/6912
Dim.ctn m'/ctn N.W/G.W(kg)	65x47.5x61.5 0.019 12/13.5

EG-6108 Butterfly Base Sprinkler with Three Arms





Packing	carton
Pes	1/48
Dim.ctn	62.5x56.5x48
m'/ctn	0.17
N.W/G.W(kg)	12.0/13.7
Pcs/201/401/40HQ	6912/14592/18240

EG-6109 Impulse Sprinkler with Butterfly Base





Packing	carton
Pcs	1/48
Dim.ctn	62.5x56.5x48
m²/ctn	0.17
N.W/G.W(kg)	12.7/14.4
Pcs/20'/40'/40HO	6912/14592/18240

Hose Connector





EG-313 3/8" Hose connector



 Used for connection between hose and spraying equipment, suitable for 10mm (3/8 inch) hose.

Packing	blister card
Pcs	120 / 720
Dim.ctn	65x47.5x61.5
m³/ctn	0.19
N.W/G.W(kg)	26.74/27.74
Pcs/201	



EG-314-2 1/2" Hose connector



 Used for connection between hose and spraying equipment, suitable for 13mm (1/2 inch) hose.

Packing	blister card
Pcs	120 / 720
Dim.ctn	65×47.5×61.5
m'/atn	0.19
N.W/G.W(kg)	26.74/27.74
Post201	



EG-314ST 1/2" Waterstop hose connector



 Used for connection in hose end. Insert spraying equipment for water flowing, while pull it for stopping water.
 Suitable for 13mm (1/2 inch) hose.

Packing	blister card
Pcs	120 / 720
Dim.ctn	65x47.5x61.5
m'/ctn	0.19
N.W/G.W(kg)	28.12/29.12
Pcs/201	





EG-316ST 3/4" Waterstop hose connector




 Used for connection in hose end.
 Insert spraying equipment for water flowing, while pull it for stopping water.
 Suitable for 19mm (3/4 inch) hose.

Packing	blister card
Pcs	100 / 600
Dim.ctn	55x47.5x61.5
m¹/atn	0.19
N.W/G.W(kg):	27.58/28.58
Pcs/20	



EG-314-1 1/2" Hose connector





Packing	blister card
Pcs	120 / 720
Dim.ctn	65x47.5x61.5
m³/ctn	0.19
N.W/G.W(kg)	26.74/27.74
Pcs/20'	



EG-314-3 1/2" Hose connector



 Used for connection between hose and spraying equipment, suitable for 13mm (1/2 inch) hose.

blister card
120 / 720
65x47.5x61.5
0.19
26.74/27.74



EG-316 3/4" Hose connector



 Used for connection between hose and spraying equipment, suitable for 19mm (3/4 inch) or 16mm (5/8 inch) hose.

Packing	blister card
Pcs	100 / 600
Dim.ctn	65x47.5x61.5
m³/ctn	0.19
N.W/G.W(kg)	27.58/28.58
Pcs/20'	



EG-314TST 1/2" Brass waterstop hose connector



Whole brass body.

 Used for connection in hose end. Inser spraying equipment for water flowing, while pull it for stopping water Suitable for 13mm (1/2 inch) hose.

ni di	A Property Manual
Packing	blister card
Pcs	120/720
Dim.ctn	65x47.5x61.5
m'/ctn	0.19
N.W/G.W(kg)	
Des (DD)	







EG-314T 1/2" Brass hose connector



 Used for connection between hose and spraying equipment, suitable for 13mm (1/2 inch) hose.

Packing	blister card
Pcs	120/720
Dim.ctn	65x47.5x61.5
m'/ctn	0.19
N.W/G.W(kg)	
Pes/20"	







EG-322 Two way hose connector



 Used for connection between 1/2inch hose connectors.
 Convenient using.

Packing	blister card
Pcs	120 / 720
Dim.ctn	65x47.5x61.5
m³/ctn	0.19
N.W/G.W(kg)	12.5/14.0
Pcs/201	



EG-324A 1/2" Hose mender



 Used for hose lentghen, two-side connection, suitable for 13mm (1/2 inch) hose

Packing	blister card
Pcs	120 / 720
Dim.ctn	65x47,5x61.5
m'/ctn	0.19
N.W/G.W(kg)	23.78/24.78
Pcs/20"	



EG-324C 1/2" Hose mender



connection, suitable for 13mm (1/2 inch) hose. Packing blister card

Packing	blister card
Pcs	120 / 720
Dim.ctn	65x47.5x61.5
m³/ctn	0.19
N.W/G.W(kg)	23.78/24.78
Pcs/20°	

· Used for hose lentghen, two-side



EG-366T 1/2"-3/4" Brass tap adaptor



 To be Used in connection to screw faucet for mutual conversion between 1/2 inch and 3/4 inch (such as washing machine faucet).

blister card
120/720
65x47.5x61.5
0.19
)





EG-323 3-way coupling



 The water can be divided into multiple multiple water supplies by connecting to hose connector.

Packing	blister card
Pcs	120/720
Dim.ctn	65x47.5x61.5
m*/ctn	0.19
N.W/G.W(kg)	18.1/19.1
Pcs/20'	





EG-324B 1/2" Hose mender



 Used for hose lentghen, two-side connection, suitable for 13mm (1/2 inch) hose.

Packing	blister card
Pcs	120 / 720
Dim.ctn	65x47.5x61.5
m'/ctn	0.19
N.W/G.W(kg)	23.78/24.78
Pcs/20'	





EG-325 Deluxe 2 way tap adaptor




 Used for two water supplies.
 Easy used for stopping water by shifting switch.

Packing	blister card	
Pcs	36/216	
Dim.ctn	64x47.5x61.5	
m'/ctn	0.19	
N.W/G.W(kg)		
Pcs/20'		









EG-326 3/4" Hose mender



 Used for connection two-side connecton, suitable for 19mm (3/4 inch) hose.

Packing	blister card
Pcs	100 / 600
Dim.ctn	65x47.5x61.5
m'/ctn	0.19
N.W/G.W(kg)	26.78/27.78
Pcs/20	







EG-364 1/2" Tap adaptor



 To be Used in connection to screw faucet for mutual conversion 1/2 inch packing.

Packing	blister card	
Pcs	120 / 720	
Dim.ctn	65x47.5x61.5	
m'/ctn	0.19	
N.W/G.W(kg)	26.74/27.74	
Pos/20'		





EG-366A 1/2"-3/4" Tap adaptor



 To be used in connection to screw faucet for mutual conversion between 1/2 inch and 3/4 inchésuch as washing machine faucett.

Packing	blister card
Pcs	120 / 720
Dim.ctn	65x47.5x61.5
m'/ctn	0.19
N.W/G.W(kg)	21.21/22.21
'Pes/20'	







EG-376 3/4" Male adaptor



 EG-376 4 inch extra tooth joint: adapter, suitable for spraying equipment or internal, thread screw related equipment and connector.

Packing	blister card	
Pcs	120 / 720	
Dim.ctn	65x47.5x61.5	
m³/ctn	0.19	
N.W/G.W(kg)	13,1/14,1	
Pos/20		







EG-346 1/2" to 3/4" Hose mender



 Used for connection between 13mm (1/2 inch) and 19mm (3/4 inch) pvc hose.

Packing	blister card
Pcs	100 / 600
Dim.ctn	65x47.5x61.5
m'/ctn	0.19
N.W/G.Wikgl	26.78/27.78
Pcs/20"	







EG-366 3/4" Tap adaptor



 Used for connection between hose connector and 3/4" faucet with outter threads.

blister card
120 / 720
65x47,5x61,5
0.19
21.21/22.21







EG-374 1/2" Male adaptor



 EG-374.4 inch extra tooth joint; adapter, suitable for spraying equipment or internal, thread screw related equipment and connector.

Packing	blister card
Pcs	120 / 720
Dim.ctn	65x47.5x61.5
m*/atn	0.19
N.W/G.W(kg) Pcs/201	12.5/14.0







EG-606 1/2" Hose connector



 Used for connection between hose and spraying equipment, suitable for 13mm (1/2 inch)hose. The surfaces made of environmental-friendly materials make in feel comfortable.

Packing	blister card
Pcs	120 / 720
Dim.ctn	65x47.5x61.5
m²/atn	0.19
N.W/G.W(kg) Pcs/20'	26.74/27.74







EG-607 1/2" Hose mender



 Used for hose lengthen, two side connection, suitable for 13mm (1/2 inch) hose. The surfaces made of environmentalfriendly materials make in feel comfortable.

Packing	blister card
Pcs	120/720
Din.ctn	65×47.5×61.5
m³/ctn	0.19
N.W/G.W(kg)	26.74/27.74
Pcs/20"	







EG-610-2 2-way water timer



 Two-hour timer with double-head, sued for the fishpond replenishing and timed spraying. Used widely and easily.

Packing	carton	
Pcs	25	
Din.ctn	60×40×30	
m³/ctn	0.072	
N.W/G.W(kg)		
Pos/201		



EG-368 1/2" Universal Tap Connector





- . Fits all 1/2" faucets with or without thread.
- 304 Stainless steel sealing clamp for fastening.

Packing	blister card
Pcs	120/720
Din.ctn	65×47.5×61.5
m³/ctn	0.19
N.W/G.W(kg)	26.78/27.78
Pcs/20'	





EG-72811 Brass adjustable watering nozzle



- Full Brass body design.
- Infinitely adjustable two pattern jet: Strong water stream and Fine mist.
- Anti-slip hand touch, easy and convenient.

Packing	blister card
Pcs	250
Din.ctn	65×47.5×61.5
m³/ctn	0.19
N.W/G.W(kg	1)
Pcs/20"	



EG-610 Water timer



 Two-hour timer, sued for the fishpond replenishing and timed spraying. Used widely and easily.

Packing	carton
Pcs	36
Din.ctn	45×20×29
m³/ctn	0.026
N.W/G.W(kg)	
Pcs/20'	



EG-1001 Hook



 Hose cart hook, installed on the wall for placing the hose cart, saving time, labor and space.

Packing	blister card
Pcs	100/600
Din.ctn	65×47.5×61.5
m³/ctn	0.19
N.W/G.W(kg)	40.8/42.8
Pcs/20'	





EG-368T 1/2" Brass Universal Tap Adaptor





- Made of good quality brass and rubber with excellent performent.
- Suitable for 1/2* faucet with or without thread
- 304 Stainless steel fastener.

Packing	blister card
Pcs	120/720
Din.ctn	65×47.5×61.5
m³/ctn	0.19
N.W/G.W(kg	3)
Pcs/20'	



EG-72812 Brass adjustable watering nozzle



- Full Brass body design.
- Infinitely adjustable two pattern jet: Strong water stream and Fine mist.
- Anti-slip hand touch, easy and convenient.

Packing	blister card
Pcs	250
Din.ctn	65×47.5×61.5
m³/ctn	0.19
N.W/G.W(kg)	
Pcs/20'	





EG-378 1/2" Integrated Universal Tap Connector



- · Integrated without disassembly.
- To be used in connection to screw faucet for mutual conversion 1/2 inch packing and 13mm (1/2 inch) hose.

Danking	blister card	
Packing	Dilster card	
Pcs	120/720	
Din.ctn	65×47.5×61.5	
m³/ctn	0.19	
N.W/G.W(kg)	23.78/24.78	
Pcs/20"		









EG-398 Universal Tap Connector



- · Suitable for all faucets
- 304 Stainless steel sealing clamp for fastening.

Packing	PP bag	
Pcs	120/720	
Din.ctn	65×47.5×61.5	
m³/ctn	0.19	
N.W/G.W(kg)	26.78/27.78	
Pcs/201		







EG-6010 1" Tap Connector



 Used for connection between hoss connector and 1° faucet with outter threads.

Packing	blister card
Pcs	120/720
Din.ctn	65×47.5×61.5
m³/ctn	0.19
N.W/G.W(kg)	21.21/22.21
Pac/201	







EG-710 1" Hose Connector



 用于水管和喷灌装置的连接, 适合25mm(1")水管

PP bag
120/720
65×47.5×61.5
0.19
27.58/28.58





EG-388 1/2" Integrated Universal Tap Connector



- · Integrated without disassembly.
- To be used in connection to screw faucet for mutual conversion 1/2 inch packing and 13mm (1/2 inch) hose.
- 304 Stainless steel sealing clamp for fastening.

Packing	blister card	
Pcs	120/720	
Din.ctn	65×47.5×61.5	
m³/ctn	0.19	
N.W/G.W(kg)	26.78/27.78	
Pcs/20'		





EG-398A Universal Tap Connector



- · Suitable for all faucets
- 304 Stainless steel sealing clamp for fastening.

Packing	PP bag	
Pcs	120/720	
Din.ctn	65×47.5×61.5	
m³/ctn	0.19	
N.W/G.W(kg)	26.78/27.78	
Pcs/20'		





EG-6010A 3/4"-1" Tap Connector






 To be used in connection to screw faucet for mutual conversion between 3/4 inch and 1 inch(such as washing machine faucet).


Packing	blister card	
Pcs	120/720	
Din.ctn	65×47.5×61.5	
m³/ctn	0.19	
N.W/G.W(kg)	21.21/22.21	
Pcs/20'		


















Good Quality Life Attitude Real Brand Service DHY Gardening Equipment Limited

www.eaglegarden.com E-mail:gzdhy002@126.com

Factory Address:No.12 bis, Baisha Industrial Zone, Ganjiao Village, Lishui Town, Foshan, Guangdong, China

Sales Dept:Plot 23-27/31-35,No.49,Guangfo Hardware City,Huangqi, Nanhai,Foshan,Guangdong

Tel:(86)757-8113 8838 Fax:(86)20-8112 2923