We design, build and deliver incredible

Wall/Ceiling Lighting

INDLEDs


Eric Junkun Shav


All copyright @ 2020 INDLEDs Co, Ltd. All rights reserved. Specification and designs are subject to change without notice All data were deemed correct at time of creation. INDLEDs are not liable for errors or omissions.



Flèche: Classic slim elegant














Flèche S Ceiling Wash

Photos



Feature

Modern, Classic, unobtrusive, slim, stylish, elegent design enhance the interior architecture. Outstanding uniformity thanks to optimized lens Optimal visual comfort

Create a high and spacious impression of the room space

Comparison



LED Strip:2000lm/meter.17.9w/m.View angle:120degree. Ra>80.3000K



Flèche :1982lm/meter.16.8w/m.View angle:160degree. Ra>93.3000K

Note:Office dimension:L8m*W5m*H2.8m Distance from ceiling *0.5m

Application

Lobby /Corridors/ Hospitality/ Fitness center /Office



Specification

16.8Watt/m Power N0 Dimmab**l**e 2700K 3000K 3500K 4000K 5000K Light Color Integrated with housing


Driver

DC22~26V Voltage Range 1982Lm/m Luminous Flux 160° View Ang**l**e CE/RoHS Certificate Wall surface Mounting

Anodized Aluminum Body Color 3year Warranty 90 CRI (L)1000*(W)77*(H)31mm Size 1.3kg/m Weight



Photos



Feature

Modern, Classic, unobtrusive, slim, stylish, elegent design enhance the interior architecture.

Outstanding uniformity thanks to optimized lens


Optimal visual comfort

Create a high and spacious impression of the room space

No need make cove and ceiling

Comparison







Flèche :1982lm/meter.16.8w/m.View angle:160degree. Ra>93.3000K

Note:Office dimension:L8m*W5m*H2.8m Distance from ceiling *0.5m

Application

Corridors/ Hospitality/ Catering /Office



Specification

16.8Watt/m NO Integrated with housing 2700K 3000K 3500K 4000K 5000K Dimmable Light Color Power Driver Wall surface CE/RoHS DC22~26V 1982Lm/m 160° Voltage Range Luminous Flux View Angle Certificate Mounting 90 3year Anodized Aluminum (L)1000*(W)77*(H)31mm 1.05kg/m CRI Body Color Warranty Size Weight



Photos



Features

Modern, s lim, s tylish, elegent design enhance the interior architecture.

Graze Wall and Graze(or wash) Ceiling

Optimal visual comfort

Create a high and spacious impression of the room space

Ultra compact housing made of extruded aluminium with integrated driver

Stand-alone and continuous lines up to Max 30 meters


Easy installation with push-in connectors and through wiring and wall mounted $\,$

Replaceable LED module with optic

Invisibly screw-fitted plastic end pieces painted in luminaire colour in silver No Cove and No ceiling

Application

Living room/ Hospitality/ Catering /Office



Specification

33.6Watt/m Power N0 Dimmable 2700K 3000K 3500K 4000K 5000K Light Color Integrate	ed with housing Driver
DC22~26V Voltage Range Luminous Flux 160° View Angle CE/RoHS Certificate	Wall surface Mounting
Anodized Aluminum Body Color 3year 90	1.95kg/m Weight



We donated **1,000EUR0** for Notre-Dame de Paris Rebuilding.

We will donate **0.5 EUR0** after you order every meter Flèche

Hope **Flèche** come back soon



