

Acoustic Board Lighting EVO



Acoustic Board Lighting EVO



Finishes

- Green
- White
- Pink
- Grey

Lighting color temperature:

4000k CRI95 R9 93

Materials Iron/ Recycled PET


Optical

UGR9,Beam angle:64down/160up

Control NO


Height adjustment NO

Electrician Input 220-240V,Constant voltage 24V Acoustic Board Lighting EVO not only provides bright and comfortable ambient light and glare-free task light, but also effectively reduces noise. Additionally, it offers a variety of colors for public interior design.



ABD12 Direct, 10.5W, 1680lm, 3.9kg.

AB12 32.9W(10.5down/22.4up),4592lm(1680down/2912up),5.3kg.




ABD15 Direct,13.5W,2160lm,4.9kg.

AB15 42.3W(13.5down/28.8up),5910lm(2160down/3750up),6.6kg.



Acoustic Panel Lighting EVO



Acoustic Panel Lighting EVO



Finishes

- Green
- White
- Pink
- Grey

Lighting color temperature:

4000k CRI95 R9 93


Materials Iron/ Recycled PET

Optical UGR9,Beam angle:64down

Control NO

Height adjustment NO

Electrician Input 220-240V,Constant voltage 24V Acoustic Panel Lighting EVO is different form which introduces additional alternative, distinguishing from Acoustic Panel Lighting EVO



AP12 10.5W,1680lm,4.3kg.